



Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}^{(\prime)}b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector



The ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 21 July 2017

Received in revised form 13 September 2017

Accepted 22 September 2017

Available online 28 September 2017

Editor: W.-D. Schlatter

ABSTRACT

A search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}^{(\prime)}b\bar{b}$ final state is described. The search uses 36.1 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ collected by the ATLAS detector at the CERN Large Hadron Collider in 2015 and 2016. The data are in agreement with the Standard Model expectations, with the largest excess found at a resonance mass of 3.0 TeV with a local (global) significance of 3.3 (2.1) σ . The results are presented in terms of constraints on a simplified model with a heavy vector triplet. Upper limits are set on the production cross-section times branching ratio for resonances decaying to a W (Z) boson and a Higgs boson, itself decaying to $b\bar{b}$, in the mass range between 1.1 and 3.8 TeV at 95% confidence level; the limits range between 83 and 1.6 fb (77 and 1.1 fb) at 95% confidence level.

© 2017 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The discovery of the Higgs boson [1,2] confirms the validity of the Standard Model (SM) in the description of particle interactions at energies up to a few hundred GeV. However, radiative corrections to the Higgs boson mass drive its value to the model's validity limit, indicating either extreme fine-tuning or the presence of new physics at an energy scale not far above the Higgs boson mass. It is natural to expect such new physics to manifest itself through significant coupling to the Higgs boson, for example in decays of new particles to a Higgs boson and other SM particles. This Letter presents a search for resonances produced in 36.1 fb^{-1} of proton-proton (pp) collision data at $\sqrt{s} = 13 \text{ TeV}$ which decay to a W or Z boson and a Higgs boson. Such resonances are predicted in multiple models of physics beyond the SM, e.g. composite Higgs [3,4] or Little Higgs [5] models, or models with extra dimensions [6,7].

This search is conducted in the channel where the W or Z and Higgs bosons decay to quarks. The high mass region, with resonance masses $m_{VH} > 1 \text{ TeV}$ ($V = W, Z$), where the V and H bosons are highly Lorentz boosted, is considered. The V and H boson candidates are each reconstructed in a single jet, using jet substructure techniques and b -tagging to suppress the dominant background from multijet events and to enhance the sensitivity to

the dominant $H \rightarrow b\bar{b}$ decay mode. The reconstructed dijet mass distribution is used to search for a signal and, in its absence, to set bounds on the production cross-section times branching ratio for new bosons which decay to a W or Z boson and a Higgs boson.

The results are expressed as limits in a simplified model which incorporates a heavy vector triplet (HVT) [8,9] of bosons; this choice allows the results to be interpreted in a large class of models. The new heavy vector bosons couple to the Higgs boson and SM gauge bosons with coupling strength c_{HgV} and to the SM fermions with coupling strength $(g^2/g_V)c_F$, where g is the SM $SU(2)_L$ coupling constant. The parameter g_V characterizes the interactions of the new vector bosons, while the dimensionless coefficients c_H and c_F parameterize departures of this typical strength for interactions with the Higgs and SM gauge bosons and with fermions, respectively, and are expected to be of order unity in most models. Two benchmark models are used: in the first, referred to as *Model A*, the branching ratios of the new heavy vector boson to known fermions and gauge bosons are comparable, as in some extensions of the SM gauge group [10]. In *Model B*, fermionic couplings to the new heavy vector boson are suppressed, as for example in a composite Higgs model [11]. The regions of HVT parameter space studied correspond to the production of resonances with an intrinsic width that is narrow relative to the experimental resolution. The latter is roughly 8% of the resonance mass. The sensitivity of the analysis to wider resonances is not tested. In addition, while the production rates of the new heavy charged and neutral states are related within the HVT model, the search pre-

* E-mail address: atlas.publications@cern.ch.

sented here assumes the production of only a charged or neutral resonance and not both simultaneously.

Searches for VH resonances, V' , have recently been performed by the ATLAS and CMS collaborations. The ATLAS searches (using leptonic V decays) based on data collected at $\sqrt{s} = 8$ TeV set a lower limit at the 95% confidence level (CL) on the W' (Z') mass at 1.47 (1.36) TeV in HVT benchmark *Model A* with $gv = 1$ [12]. Using the same decay modes, a search based on 3.2 fb^{-1} of data collected at $\sqrt{s} = 13$ TeV set a 95% CL lower limit on the W' (Z') mass at 1.75 (1.49) TeV [13] in the HVT benchmark *Model A*. For *Model B* the corresponding limits are 2.22 (1.58) TeV. Searches by the CMS Collaboration at $\sqrt{s} = 8$ TeV in hadronic channels, based on HVT benchmark *Model B* with $gv = 3$, exclude heavy resonance masses below 1.6 TeV ($W' \rightarrow WH$), below 1.1 TeV and between 1.3 TeV and 1.5 TeV ($Z' \rightarrow ZH$), and below 1.7 TeV (combined $V' \rightarrow VH$) [14] at the 95% CL. Using the $W' \rightarrow WH \rightarrow \ell v b\bar{b}$ channel, CMS excludes new heavy vector bosons with masses up to 1.5 TeV in the same context [15]. The CMS Collaboration also carried out a search for a narrow resonance decaying to ZH in the $q\bar{q}\tau^+\tau^-$ final state, setting limits on the Z' production cross-section [16]. Searches for heavy resonances in HVT models have also been carried out in the hadronic $WW/WZ/ZZ$ channels by the ATLAS experiment at $\sqrt{s} = 13$ TeV with 3.2 fb^{-1} of data [17]. For *Model B*, a new gauge boson with mass below 2.6 TeV is excluded at the 95% CL. The CMS Collaboration combined [18] diboson resonance searches at $\sqrt{s} = 8$ and 13 TeV [18], setting lower limits for W' and Z' singlets at 2.3 TeV and for a triplet at 2.4 TeV. As this Letter was being finalized, the CMS Collaboration released [19] a search in the same final state as studied in this Letter, using 36 fb^{-1} of data collected at $\sqrt{s} = 13$ TeV. For *Model B*, a W' boson with mass below 2.45 TeV and between 2.78 TeV and 3.15 TeV is excluded at the 95% CL. For a Z' boson, masses below 1.19 TeV and between 1.21 TeV and 2.26 TeV are excluded at the 95% CL.

2. ATLAS detector

The ATLAS detector [20] is a general-purpose particle detector used to investigate a broad range of physics processes. It includes inner tracking devices surrounded by a 2.3 m diameter superconducting solenoid, electromagnetic and hadronic calorimeters and a muon spectrometer with a toroidal magnetic field. The inner detector consists of a high-granularity silicon pixel detector, including the insertable B-layer [21] installed after Run 1 of the LHC, a silicon strip detector, and a straw-tube tracker. It is immersed in a 2 T axial magnetic field and provides precision tracking of charged particles with pseudorapidity $|\eta| < 2.5$.¹ The calorimeter system consists of finely segmented sampling calorimeters using lead/liquid-argon for the detection of electromagnetic (EM) showers up to $|\eta| < 3.2$, and copper or tungsten/liquid-argon for electromagnetic and hadronic showers for $1.5 < |\eta| < 4.9$. In the central region ($|\eta| < 1.7$), a steel/scintillator hadronic calorimeter is used. Outside the calorimeters, the muon system incorporates multiple layers of trigger and tracking chambers within a magnetic field produced by a system of superconducting toroids, enabling an independent precise measurement of muon track momenta for $|\eta| < 2.7$. A dedicated trigger system is used to select events [22]. The first-level

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. The rapidity is defined relative to the beam axis as $y = 1/2 \ln((E + p_z)/(E - p_z))$.

trigger is implemented in hardware and uses the calorimeter and muon detectors to reduce the accepted rate to 100 kHz. This is followed by a software-based high-level trigger, which reduces the accepted event rate to 1 kHz on average.

3. Data and simulation samples

This analysis uses 36.1 fb^{-1} of LHC pp collisions at $\sqrt{s} = 13$ TeV collected in 2015 and 2016. The data were collected during stable beam conditions with all relevant detector systems functional. Events were selected using a trigger that requires a single anti- k_t jet [23] with radius parameter $R = 1.0$ (large- R jet) with a transverse energy (E_T) threshold of 360 (420) GeV in 2015 (2016). The trigger requirement is $> 99\%$ efficient for events passing the off-line selection of a large- R jet with transverse momentum (p_T) > 450 GeV.

Signal processes, as well as backgrounds from $t\bar{t}$ and $W/Z +$ jets production, are modelled with Monte Carlo (MC) simulation. While multijet MC events are used as a cross-check, the primary multijet background estimation is performed using data as described in Section 6. The signal is modelled using benchmark *Model A* with $gv = 1$. Results derived from this model can be directly applied to benchmark *Model B* by rescaling the relevant branching ratios. The signal was generated with Madgraph5_aMC@NLO 2.2.2 [24] interfaced to PYTHIA 8.186 [25] for parton shower and hadronization, with the NNPDF2.3 next-to-leading order (NLO) parton distribution function (PDF) set [26] and a set of tuned parameters called the ATLAS A14 tune [27] for the underlying event. The Higgs boson mass was set to 125.5 GeV, and Higgs boson decays to both $b\bar{b}$ and $c\bar{c}$, assuming SM branching ratios, were included in the simulation. The $V' \rightarrow VH \rightarrow q\bar{q}^{(\prime)}(b\bar{b} + c\bar{c})$ signal cross-section in *Model B* ranges from 110 fb (203 fb) for neutral (charged) resonances with a mass of 1 TeV, down to 0.09 fb (0.19 fb) for neutral (charged) resonances with a mass of 3.8 TeV. Samples were generated in steps of 100 GeV or 200 GeV up to 4 TeV.

The $t\bar{t}$ background samples were generated with Powheg-Box v2 [28] with the CT10 PDF set [29], interfaced with PYTHIA 6.428 [30] and the Perugia 2012 tune for the parton shower [31] using the CTEQ6L1 PDF set [32]. The cross-section of the $t\bar{t}$ process is normalized to the result of a quantum chromodynamics (QCD) calculation at next-to-next-to-leading order and log (NNLO+NLL), as implemented in Top++ 2.0 [33]. The Powheg HDAMP parameter [34] was set to the top quark mass, taken to be $m_t = 172.5$ GeV. The $W +$ jets and $Z +$ jets background samples were generated with SHERPA 2.1.1 [35] interfaced with the CT10 PDF set. Matrix elements of up to four extra partons were calculated at leading order in QCD. Only the hadronic decays of the W and Z bosons were included. For studies with simulated multijet events, the MC samples were generated with PYTHIA 8.186 [25], with the NNPDF2.3 NLO PDF and the ATLAS A14 tune. The background from SM diboson and VH production is negligible and therefore not considered.

For all simulated events, except those produced using SHERPA, EvtGen v1.2.0 [36] was used to model the properties of bottom and charm hadron decays. The detector response was simulated with GEANT 4 [37,38] and the events were processed with the same reconstruction software as that used for data. All simulated samples include the effects due to multiple pp interactions per bunch-crossing (pile-up).

4. Event reconstruction

Collision vertices are reconstructed requiring a minimum of two tracks each with transverse momentum $p_T > 0.4$ GeV. The primary

vertex is chosen to be the vertex with the largest $\sum p_T^2$, where the sum extends over all tracks associated with the vertex.

The identification and reconstruction of hadronically decaying gauge boson and Higgs boson candidates is performed with the anti- k_t jet clustering algorithm with R parameter equal to 1.0. These large- R jets [39] are reconstructed from locally calibrated topological clusters [40] of calorimeter energy deposits. To mitigate the effects of pile-up and soft radiation, the large- R jets are trimmed [41]: the jet constituents are reclustered into subjets using the k_t algorithm [42] with $R = 0.2$, removing those with $p_T^{\text{subjet}}/p_T^{\text{jet}} < 0.05$, where p_T^{subjet} is the transverse momentum of the subjet and p_T^{jet} is the transverse momentum of the original large- R jet. In order to improve on the limited angular resolution of the calorimeter, the combined mass of a large- R jet is computed using a combination of calorimeter and tracking information [43]. The combined mass is defined as:

$$m_J \equiv w_{\text{calo}} \times m_J^{\text{calo}} + w_{\text{track}} \times \left(m_J^{\text{track}} \frac{p_T^{\text{calo}}}{p_T^{\text{track}}} \right),$$

where m_J^{calo} (p_T^{calo}) is the calorimeter-only estimate of the jet mass (p_T), and m_J^{track} (p_T^{track}) is the jet mass (p_T) estimated via tracks with $p_T > 0.4$ GeV associated with the large- R jet using ghost association² [44]. To correct for the missing neutral component in the track-based measurement, m_J^{track} is scaled by the ratio of calorimeter to track p_T estimates. The weighting factors w_{calo} and w_{track} are p_T^{calo} -dependent functions of the calorimeter- and track-based jet mass resolutions used to optimize the combined mass resolution.

Track jets clustered using the anti- k_t algorithm with $R = 0.2$ are used to aid the identification of b -hadron candidates from the Higgs boson decay [45]. Track jets are built from charged particle tracks with $p_T > 0.4$ GeV and $|\eta| < 2.5$ that satisfy a set of hit and impact parameter criteria to minimize the impact of tracks from pile-up interactions, and are required to have track jet $p_T > 10$ GeV, $|\eta| < 2.5$, and at least two tracks clustered in the track jet. Track jets are matched with large- R jets using ghost association. The identification of b -hadrons relies on a multivariate tagging algorithm [46] which combines information from several vertexing and impact parameter tagging algorithms applied to a set of tracks in a region of interest around each track jet axis. The b -tagging requirements result in an efficiency of 77% for track jets containing b -hadrons, and a misidentification rate of $\sim 2\%$ ($\sim 24\%$) for light-flavour (charm) jets, as determined in a sample of simulated $t\bar{t}$ events. For MC samples the tagging efficiencies are corrected to match those measured in data [47].

Muons are reconstructed by combining tracks in the inner detector and the muon system, and are required to satisfy “Tight” muon identification criteria [48]. The four-momentum of the closest muon candidate with $p_T > 4$ GeV and $|\eta| < 2.5$ that is within $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.2$ of a track jet is added to the calorimeter jet four-momentum to partially account for the energy carried by muons from semileptonic b -hadron decays. This muon correction results in a $\sim 5\%$ resolution improvement for Higgs boson candidate jets (defined in Section 5) [49]. Electrons are reconstructed from inner detector and calorimeter information, and are required to satisfy the “Loose” likelihood selection [50].

Leptons (electrons and muons, ℓ) are also used in a “veto” to ensure the orthogonality of the analysis selection with respect to

other heavy VH resonance searches in non-fully hadronic final states. The considered leptons have $p_T > 7$ GeV, $|\eta| < 2.5$ (2.47) for muons (electrons), and their associated tracks must have $|d_0|/\sigma_{d_0} < 3$ (5) and $|z_0 \sin\theta| < 0.5$ mm, where d_0 is the transverse impact parameter with respect to the beam line, σ_{d_0} is the uncertainty on d_0 , and z_0 is the distance between the longitudinal position of the track along the beam line at the point where d_0 is measured and the longitudinal position of the primary vertex. Leptons are also required to satisfy an isolation criterion, whereby the ratio of the p_T sum of all tracks with $p_T > 1$ GeV (excluding the lepton’s) within a cone around the lepton (with radius dependent on the lepton p_T) to the lepton momentum must be less than a p_T - and $|\eta|$ -dependent threshold I_0 . The value of I_0 is chosen such that a constant efficiency of 99% as a function of p_T and $|\eta|$ is obtained for leptons in events with identified $Z \rightarrow \ell\ell$ candidates.

The missing transverse momentum (\vec{E}_T^{miss}) is calculated as the negative vectorial sum of the transverse momenta of all the muons, electrons, calorimeter jets with $R = 0.4$, and any inner-detector tracks from the primary vertex not matched to any of these objects [51]. The magnitude of the \vec{E}_T^{miss} is denoted by E_T^{miss} .

5. Event selection

Events selected for this analysis must contain at least two large- R jets with $|\eta| < 2.0$ and invariant mass $m_J > 50$ GeV, and cannot have any lepton candidate passing the veto for leptons. The leading and subleading p_T large- R jets must have p_T greater than 450 GeV and 250 GeV, respectively. The two leading p_T large- R jets are assigned to be the Higgs and vector boson candidates, and the invariant mass of the individual jets is used to determine the boson type; the large- R jet with the larger invariant mass is assigned to be the Higgs boson candidate jet (H -jet), while the smaller invariant mass large- R jet is assigned as the vector boson candidate jet (V -jet). In signal MC simulation, this procedure results in 99% correct assignment after the full signal region selections described below. Furthermore, the absolute value of the rapidity difference, $|\Delta y_{12}|$, between the two leading p_T large- R jets must be less than 1.6, exploiting the more central production of the signal compared to the multijet background. To ensure orthogonality with the ZH resonance search in which the Z boson decays to neutrinos, events are rejected if they have $E_T^{\text{miss}} > 150$ GeV and $\Delta\phi(\vec{E}_T^{\text{miss}}, H\text{-jet}) > 120$ degrees.

The H -jet is further required to satisfy mass and b -tagging criteria consistent with expectations from a Higgs boson decaying to $b\bar{b}$ [45]. The H -jet mass, $m_{J,H}$, must satisfy $75 \text{ GeV} < m_{J,H} < 145 \text{ GeV}$, which is $\sim 90\%$ efficient for Higgs boson jets. The number of ghost associated b -tagged track jets is then used to categorize events. The H -jets with either one or two b -tagged track jets, amongst the two leading p_T associated track jets, are used in this analysis. The H -jets with one associated b -tagged track jet are not required to have two associated track jets. The Higgs boson tagging efficiency, defined with respect to jets that are within $\Delta R = 1.0$ of a truth Higgs boson and its decay b -hadrons, for doubly- (singly-) b -tagged H -jets is $\sim 40\%$ ($\sim 75\%$) for H -jets with $p_T \approx 500$ GeV and $\sim 25\%$ ($\sim 65\%$) for H -jets with $p_T \approx 900$ GeV [49]. The rejection factor for jets from multijet production is ~ 600 (~ 50) for double (single) tags.

The V -jet must satisfy mass and substructure criteria consistent with a W - or Z -jet using a 50% efficiency working point, similar to the “Medium” working point in Ref. [52]. To be considered a W (Z) candidate, the V -jet must have a mass $m_{J,V}$ within a p_T -dependent mass window which varies between $m_{J,V} \in [67, 95]$ ([75, 107]) GeV for jets with $p_T \approx 250$ GeV, and $m_{J,V} \in [60, 100]$ ([70, 110]) GeV for jets with $p_T \approx 2500$ GeV. The jet must also satisfy a p_T -dependent D_2 [53,54] selection (with

² In this method, the large- R jet algorithm is rerun with both the four-momenta of tracks, modified to have infinitesimally small momentum (the “ghosts”), and all topological energy clusters in the event as potential constituents of jets. As a result, the presence of tracks does not alter the large- R jets already found and their association with specific large- R jets is determined by the jet algorithm.

Table 1

Summary of event selection criteria. The selection efficiency for HVT benchmark *Model B* is shown for $W H$ resonances. It is very similar for $Z H$ resonances.

Selection	Description	$m = 2 \text{ TeV } W H$ signal efficiency [%]
Large- R jet selection	$p_T^{\text{lead}} > 450 \text{ GeV}, p_T^{\text{sublead}} > 250 \text{ GeV}, \eta < 2.0, m_J > 50 \text{ GeV}$	83.8
Lepton veto	Remove events with leptons	83.0
Rapidity difference	$ \Delta y_{12} < 1.6$	73.3
E_T^{miss} veto	Remove events with $E_T^{\text{miss}} > 150 \text{ GeV}$ and $\Delta\phi(\vec{E}_T^{\text{miss}}, H\text{-jet}) > 120$ degrees	68.3
V/H assignment	Larger mass jet is H -jet, smaller mass jet is V -jet	68.3
W/Z -tagging	Mass window + D_2 selection	36.3
Dijet mass	$m_{JJ} > 1 \text{ TeV}$	36.3
Signal region	$W H$ 1-tag	15.0
Signal region	$W H$ 2-tag	12.5

$\beta = 1$) which depends on whether the candidate is a W or a Z boson, as described in Ref. [52]. The variable D_2 exploits two- and three-point energy correlation functions to tag boosted objects with two-body decay structures. The V -jet tagging efficiency is $\sim 50\%$ and constant in V -jet p_T , with a misidentification rate for jets from multijet production of $\sim 2\%$.

Four signal regions (SRs) are used in this analysis. They differ by the number of b -tagged track jets associated to the H -jet and by whether the V -jet passes a Z -tag or W -tag selection. The “1-tag” and “2-tag” SRs require exactly one and two b -tagged track jets associated to the H -jet, respectively. The 2-tag signal regions provide better sensitivity for resonances with masses below $\sim 2.5 \text{ TeV}$. Above 2.5 TeV the 1-tag regions provide higher sensitivity because the Lorentz boost of the Higgs boson is large enough to merge the fragmentation products of both b -quarks into a single track jet. Events in which the V -jet passes a Z -tag constitute the ZH signal regions, while events in which the V -jet passes a W -tag constitute the WH signal regions. While the 1-tag and 2-tag signal regions are orthogonal regardless of the V -jet tag, the WH and ZH selections are not orthogonal within a given b -tag category. The overlap between the WH and ZH selections in the signal regions is approximately 60%.

The final event requirement is that the mass of the candidate resonance built from the sum of the V -jet and H -jet candidate four-momenta, m_{JJ} , must be larger than 1 TeV . This requirement ensures full efficiency for the trigger and jet p_T requirements for events passing the full selection. The full event selection can be found in Table 1. The expected selection efficiency for both $W H$ and $Z H$ resonances decaying to $q\bar{q}^{(0)}(b\bar{b} + c\bar{c})$ with a mass of $2 (3) \text{ TeV}$ in the HVT benchmark *Model B* is $\sim 30\% (\sim 20\%)$.

6. Background estimation

After the selection of 1-tag and 2-tag events, $\sim 90\%$ of the background in the signal regions originates from multijet events. The remaining $\sim 10\%$ is predominantly $t\bar{t}$ with a small contribution from $V+jets$ ($\lesssim 1\%$). The multijet background is modelled directly from data, while other backgrounds are estimated from MC simulation.

Multijet modelling starts from the same trigger and event selection as described above, but the H -jet is required to have zero associated b -tagged track jets. This 0-tag sample, which consists of multijet events at the $\sim 99\%$ level, is used to model the kinematics of the multijet background in the 1-tag and 2-tag SRs. To keep the 0-tag region kinematics close to the 1- and 2-tag regions, H -jets in 0-tag events must contain at least one (two) associated track jets when modelling the 1(2)-tag signal region.

The 0-tag sample is normalized to the 1-tag and 2-tag samples and corrected for kinematic differences with respect to the signal regions, as described below. These kinematic differences arise from the b -tagging efficiency variations as a function of p_T and $|\eta|$ and




Fig. 1. Illustration of the sideband and validation regions, showing orthogonal slices through the space defined by the masses of the two boson candidates and the number of b -tags.

because different multijet processes, in terms of quark, gluon, and heavy-flavour content, contribute different fractions to the 0-, 1-, and 2-tag samples.

The 0-tag sample is normalized to the 1- and 2-tag samples, separately, using a signal-free high mass sideband of the H -jet defined by $145 \text{ GeV} < m_{J,H} < 200 \text{ GeV}$. This sideband (SB), illustrated in Fig. 1, is orthogonal to the signal region and has similar expected event yield to the signal region. The normalization of the multijet events is set by scaling the number of events in each region of the 0-tag sample by

$$\mu_{\text{Multijet}}^{1(2)\text{-tag}} = \frac{N_{\text{Multijet}}^{1(2)\text{-tag}}}{N_{\text{Multijet}}^{0\text{-tag}}} = \frac{N_{\text{data}}^{1(2)\text{-tag}} - N_{t\bar{t}}^{1(2)\text{-tag}} - N_{V+jets}^{1(2)\text{-tag}}}{N_{\text{data}}^{0\text{-tag}} - N_{t\bar{t}}^{0\text{-tag}} - N_{V+jets}^{0\text{-tag}}}, \quad (1)$$

where $N_{\text{data}}^{0/1/2\text{-tag}}$, $N_{t\bar{t}}^{0/1/2\text{-tag}}$ and $N_{V+jets}^{0/1/2\text{-tag}}$ are the numbers of events observed in data, and predicted from $t\bar{t}$ and $V+jets$ MC simulation in the 0-, 1-, or 2-tag SB samples, respectively. As the selection of track jets for H -jets in 0-tag events differs when modelling the 1-tag and 2-tag regions (as stated above), $N_{\text{Multijet}}^{0\text{-tag}}$ differs between estimates of the $\mu_{\text{Multijet}}^{1\text{-tag}}$ and $\mu_{\text{Multijet}}^{2\text{-tag}}$.

Kinematic corrections to the multijet background template are applied by reweighting events from the 0-tag sample. This is performed only for the 2-tag sample, as the modelling of the multijet background in the 1-tag SB and validation regions (described below and depicted in Fig. 1) without reweighting is observed to be adequate. The weights are derived in the SB region, from third-order polynomial fits to the ratio of the total background model to data in two distributions that are sensitive to kinematic and b -tagging efficiency differences between the 0-tag and 2-tag samples. The variables are the track jet p_T ratio, defined as $p_T^{\text{lead}}/(p_T^{\text{lead}} + p_T^{\text{sublead}})$, and p_T^{sublead} , both using the p_T distributions of the leading two p_T track jets associated to the H -jet. The reweighting is performed using one-dimensional distributions but is iterated so that correlations between the two variables are taken into account. After each reweighting iteration, the value of $\mu_{\text{Multijet}}^{1(2)\text{-tag}}$

Table 2

The number of events in data and predicted background events in the sideband and validation regions. In the sideband, the data and the total background prediction agree by construction. The uncertainties are statistical only. Due to rounding the totals can differ from the sums of components.

2-tag sample	Sideband region	Validation region (Signal-region-like)		Validation region (Sideband-region-like)	
		No D_2	With D_2	No D_2	With D_2
Multijet	1410 ± 10	13700 ± 20	875 ± 5	7150 ± 10	455 ± 5
$t\bar{t}$	220 ± 10	115 ± 10	12 ± 3	250 ± 15	26 ± 4
$V+jets$	35 ± 15	250 ± 30	14 ± 6	30 ± 10	3 ± 3
Total	1670 ± 20	14050 ± 35	900 ± 8	7430 ± 20	485 ± 6
Data	1667	15013	934	7200	426
1-tag sample	Sideband region	Validation region (Signal-region-like)		Validation region (Sideband-region-like)	
		No D_2	With D_2	No D_2	With D_2
Multijet	12350 ± 50	138500 ± 160	8820 ± 40	62600 ± 100	3970 ± 30
$t\bar{t}$	2200 ± 30	1030 ± 30	115 ± 7	1700 ± 35	210 ± 10
$V+jets$	300 ± 40	1480 ± 90	120 ± 25	420 ± 50	35 ± 13
Total	15000 ± 75	140900 ± 190	9050 ± 50	64700 ± 120	4200 ± 30
Data	14973	135131	8685	66896	4418




Fig. 2. The m_{JJ} distribution in the signal-region-like validation region in the (left) 2-tag (right) 1-tag samples, compared to the predicted background. The uncertainty band corresponds to the statistical uncertainty on the multijet model.

is recomputed to ensure that the normalization is kept fixed. No explicit uncertainties are associated with this reweighting as these are determined from comparison with validation regions, as described below.

Due to the small number of events in the background template in the high m_{JJ} tail, the backgrounds are modelled by fitting between 1.2 and 4 TeV with power-law and exponential functions. The multijet background in m_{JJ} is modelled using the functional form

$$f_{\text{Multijet}}(x) = p_a(1-x)^{p_b}(1+x)^{p_c x}, \quad (2)$$

while the merged $t\bar{t}$ and $V+jets$ backgrounds are modelled using the functional forms

$$f_{\text{Other}}^{1\text{-tag}}(x) = p_d(1-x)^{p_e}x^{p_f}, \text{ and} \quad (3)$$

$$f_{\text{Other}}^{2\text{-tag}}(x) = p_g e^{-p_h x} \quad (4)$$

for the 1-tag and 2-tag samples respectively. In these functional forms, $x = m_{JJ}/\sqrt{s}$, and p_a through p_h are parameters determined by the fit. These functional forms are used as they can model changes in the power-law behaviour of the respective backgrounds

between high and low masses. The exponential function is used for the 2-tag $t\bar{t}$ and $V+jets$ samples because it was found to model the tail of the distribution well and because a fit to the small statistics of the sample could not constrain a function with more parameters. Fits are performed separately for the 1-tag and 2-tag background estimates, and separately for each background.

The background model is validated in the two regions denoted by VR-SR and VR-SB in Fig. 1, each also with two subregions. In all of these, the V -jet is required to have mass $50 \text{ GeV} < m_{J,V} < 70 \text{ GeV}$ but the D_2 selection is only applied in one of the subregions. For the signal-region-like validation regions (VR-SR) the H -jet selection is unchanged, and for the sideband-like validation regions (VR-SB) the H -jet is required to have mass $145 \text{ GeV} < m_{J,H} < 200 \text{ GeV}$. Both validation regions are kinematically similar to the signal regions but orthogonal to them (and to each other).

Table 2 compares the observed data yields in the validation regions with the corresponding background estimates. The differences are used as estimators of the background normalization uncertainties, as described in Section 7. The modelling of the m_{JJ} distribution in the signal-region-like validation region is shown in Fig. 2 for the 1-tag and 2-tag samples. The data are well described

Table 3

Summary of the main post-fit systematic uncertainties (expressed as a percentage of the yield) in the background and signal event yields in the 1-tag and 2-tag signal regions. The values for the jet energy scale and b -tagging efficiency uncertainties represent the sum in quadrature of the values from the dominant components. The jet energy scale, jet mass resolution, b -tagging efficiency and luminosity do not apply to the multijet contribution, which is determined from data. Uncertainties are provided for a resonance mass of 2 TeV in the context of the HVT Model B, for both $V' \rightarrow ZH$ and $V' \rightarrow WH$ resonances.

Source	ZH 2-tag yield variation [%]		ZH 1-tag yield variation [%]	
	Background	HVT Model B Z' (2 TeV)	Background	HVT Model B Z' (2 TeV)
Luminosity	0.2	3.2	0.3	3.2
Jet energy scale	2.2	7.0	1.2	7.4
Jet mass resolution	0.6	9.5	0.4	8.5
b -tagging	1.6	10	0.5	15
$t\bar{t}$ normalization	1.8	–	2.5	–
Multijet normalization	4.7	–	2.8	–
Source	WH 2-tag yield variation [%]		WH 1-tag yield variation [%]	
	Background	HVT Model B W' (2 TeV)	Background	HVT Model B W' (2 TeV)
Luminosity	0.2	3.2	0.3	3.2
Jet energy scale	2.4	5.7	0.8	5.6
Jet mass resolution	1.2	11	0.3	10
b -tagging	1.6	10	0.4	15
$t\bar{t}$ normalization	1.9	–	2.5	–
Multijet normalization	4.3	–	2.8	–

by the background model. Other kinematic variables are generally well described.

7. Systematic uncertainties

The preliminary uncertainty on the combined 2015 and 2016 integrated luminosity is 3.2%. It is derived, following a methodology similar to that detailed in Ref. [55], from a preliminary calibration of the luminosity scale using x - y beam-separation scans performed in 2015 and 2016.

Experimental systematic uncertainties affect the signal as well as the $t\bar{t}$ and V +jets backgrounds estimated from MC simulation. The systematic uncertainties related to the scales of the large- R jet p_T , mass and D_2 are of the order of 2%, 5% and 3%, respectively. They are derived following the technique described in Ref. [39]. The impacts of the uncertainties on the resolutions of each of these large- R jet observables are evaluated by smearing the jet observable according to the systematic uncertainties of the resolution measurement [39,52]. A 2% absolute uncertainty is assigned to the large- R jet p_T , and to the mass and D_2 resolutions relative 20% and 15% uncertainties are assigned, respectively. The uncertainty in the b -tagging efficiency for track jets is based on the uncertainty in the measured tagging efficiency for b -jets in data following the methodology used in Ref. [47]. This is measured as a function of b -jet p_T and ranges between 2% and 8% for track jets with $p_T < 250$ GeV. For track jets with $p_T > 250$ GeV the uncertainty in the tagging efficiencies is extrapolated using MC simulation [47] and is approximately 9% for track jets with $p_T > 400$ GeV. A 30% normalization uncertainty is applied to the $t\bar{t}$ background based on the ATLAS $t\bar{t}$ differential cross-section measurement [56]. Due to the small contribution of the V +jets background, no corresponding uncertainty is considered.

Systematic uncertainties in the normalization and shape of the data-based multijet background model are assessed from the validation regions. The background normalization predictions in the validation regions agree with the observed data to within $\pm 5\%$ in the 1-tag sample and $\pm 13\%$ in the 2-tag sample. These differences are taken as the uncertainties in the predicted multijet yield. The shape uncertainty is derived by taking the ratio of the predicted background to the observed data after fitting both to a power law. This is done separately for the 1-tag and 2-tag samples. The larger of the observed shape differences in the VR-SR and VR-SB is taken as the shape uncertainty. Separate shape uncertainties

are estimated for m_{JJ} above and below 2 TeV in order to allow for independent shape variations in the bulk and tail of the m_{JJ} distribution in the final statistical analysis.

An additional uncertainty in the shape of the multijet background prediction is assigned by fitting a variety of empirical functions designed to model power-law behaviour to the 0-tag m_{JJ} distribution, as described in Ref. [57]. The largest difference between the nominal and alternative fit functions is taken as a systematic uncertainty. Similarly, the fit range of the nominal power-law function is varied, and the largest difference between the nominal and alternative fit ranges is taken as a systematic uncertainty.

The impact of the main systematic uncertainties on event yields is summarized in Table 3.

8. Results

The results are interpreted using the statistical procedure described in Ref. [1] and references therein. A test statistic based on the profile likelihood ratio [58] is used to test hypothesized values of μ , the global signal strength factor, separately for each model considered. The statistical analysis described below is performed using the m_{JJ} distribution of the data observed in the signal regions. The systematic uncertainties are modelled with Gaussian or log-normal constraint terms (nuisance parameters) in the definition of the likelihood function. The data distributions from the 1-tag and 2-tag signal regions are used in the fit simultaneously, treating systematic uncertainties on the luminosity, jet energy scale, jet energy resolution, jet mass resolution and b -tagging as fully correlated between the two signal regions. Both the multijet normalization and shape uncertainties are treated as independent between the two signal regions. In addition, the multijet shape uncertainties for m_{JJ} above and below 2 TeV are treated as independent. When performing the fit, the nuisance parameters are allowed to vary within their constraints to maximize the likelihood. As a result of the fit, the multijet shape uncertainties are significantly reduced. With the jet mass resolution, jet energy scale and multijet normalization, they have the largest impact on the search sensitivity. Fits in the WH and ZH signal regions are performed separately. The pre- and post-fit m_{JJ} distributions in the signal regions are shown in Fig. 3.

The number of background events in the 1-tag and 2-tag ZH and WH signal regions after the fit, the number of events ob-




Fig. 3. The m_{JJ} distributions in the VH signal regions for data (points) and background estimate (histograms) after the likelihood fit for events in the (left) 2-tag and (right) 1-tag categories. The pre-fit background expectation is given by the blue dashed line. The expected signal distributions (multiplied by 50) for a HVT benchmark *Model B* V' boson with 2 TeV mass are also shown. In the data/prediction ratio plots, arrows indicate off-scale points.

Table 4

The number of predicted background events in the VH 1-tag and 2-tag signal regions after the fit, compared to the data. The “Other backgrounds” entries include both $t\bar{t}$ and $V+jets$. Uncertainties correspond to the total uncertainties in the predicted event yields, and are smaller for the total than for the individual contributions because the latter are anti-correlated. The yields for $m = 2$ TeV V' bosons decaying to VH in *Model B* are also given. Due to rounding the totals can differ from the sums of components.

	ZH 2-tag	ZH 1-tag
Multijet	1440 ± 60	13770 ± 310
Other backgrounds	135 ± 45	1350 ± 270
Total backgrounds	1575 ± 40	15120 ± 130
Data	1574	15112
<i>Model B</i> , $m = 2$ TeV	25 ± 7	29 ± 10
	WH 2-tag	WH 1-tag
Multijet	1525 ± 65	13900 ± 290
Other backgrounds	110 ± 45	1310 ± 260
Total backgrounds	1635 ± 40	15220 ± 120
Data	1646	15212
<i>Model B</i> , $m = 2$ TeV	51 ± 10	62 ± 16

served in the data, and the predicted yield for a potential signal are reported in **Table 4**. The total data and background yields in each region are constrained to agree by the fit. There is a $\sim 60\%$ overlap of data between the WH and ZH selections for both the 2-tag and 1-tag signal regions, and this fraction is approximately constant as a function of m_{JJ} . This overlap is similar when examining the signal MC simulation, for instance for the 2 TeV Z' signal

MC approximately $\sim 60\%$ of events pass both the WH and ZH selections.

8.1. Statistical analysis

To determine if there are any statistically significant local excesses in the data, a test of the background-only hypothesis ($\mu = 0$) is performed at each signal mass point. The significance of an excess is quantified using the local p_0 value, the probability that the background could produce a fluctuation greater than or equal to the excess observed in data. A global p_0 is also calculated for the most significant discrepancy, using background-only pseudo-experiments to derive a correction for the look-elsewhere effect across the mass range tested [59]. The most significant deviation from the background-only hypothesis is in the ZH signal region, occurring at $m_{JJ} \approx 3.0$ TeV with a local significance of 3.3σ . The global significance of this excess is 2.1σ , which is computed considering the full range of Z' masses examined for potential signals from 1.1 TeV to 3.8 TeV.

The data are used to set upper limits on the cross-sections for the different benchmark signal processes. Exclusion limits are computed using the CL_s method [60], with a value of μ regarded as excluded at the 95% CL when CL_s is less than 5%.

Fig. 4 shows the 95% CL cross-section upper limits on HVT resonances for both *Model A* and *Model B* in the WH and ZH signal regions for masses between 1.1 and 3.8 TeV. Limits on $\sigma(pp \rightarrow V' \rightarrow VH) \times B(H \rightarrow (b\bar{b} + c\bar{c}))$ ³ are set in the range of

³ The signal samples contain Higgs boson decays to $b\bar{b}$ and $c\bar{c}$, but due to the branching ratios and b -tagging requirements the sensitivity is dominated by $H \rightarrow b\bar{b}$.




Fig. 4. The observed and expected cross-section upper limits at the 95% confidence level for $\sigma(pp \rightarrow V' \rightarrow VH) \times B(H \rightarrow b\bar{b} + c\bar{c})$, assuming SM branching ratios, in *Model A* and *Model B* in the (left) ZH and (right) WH signal regions. The red and magenta curves show the predicted cross-sections as a function of resonance mass for the models considered. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)




Fig. 5. Limits in the $g^2 c_F / g_V$ vs. $g_V c_H$ plane for several resonance masses for the (left) ZH and (right) WH channels. Areas outside the curves are excluded. The benchmark model points are also shown. Coupling values for which the resonance width $\Gamma/m > 5\%$ are shown in grey, as these regions may not be well described by the narrow width approximation.

83 fb to 1.6 fb and 77 fb to 1.1 fb in the WH and ZH signal regions, respectively. These cross-section limits are translated into excluded *Model B* signal mass ranges of 1.10–2.50 TeV for WH resonances and 1.10–2.60 TeV for ZH resonances. The corresponding excluded mass ranges for *Model A* are 1.10–2.40 TeV for WH resonances, and 1.10–1.48 TeV and 1.70–2.35 TeV for ZH resonances.

Fig. 5 shows the 95% CL limits in the $g^2 c_F / g_V$ vs. $g_V c_H$ plane for several resonance masses for both the WH and ZH channels. These limits are derived by rescaling the signal cross-sections to the values predicted for each point in the $(g^2 c_F / g_V, g_V c_H)$ plane and comparing with the observed cross-section upper limit. As the resonance width is not altered in this rescaling, areas for which the resonance width $\Gamma/m > 5\%$ are shown in grey. These may not be well described by the narrow width approximation assumed in the rescaling.

9. Summary

A search for resonances decaying to a W or Z boson and a Higgs boson has been carried out in the $q\bar{q}(^0)b\bar{b}$ channel with 36.1 fb^{-1} of pp collision data collected by ATLAS during the 2015 and 2016 runs of the LHC at $\sqrt{s} = 13 \text{ TeV}$. Both the vector boson and Higgs boson candidates are reconstructed using large-radius

jets, and jet mass and substructure observables are used to tag W , Z and Higgs boson candidates and suppress the dominant multijet background. In addition, small-radius b -tagged track jets ghost-associated to the large- R jets are exploited to select the Higgs boson candidate jet. The data are in agreement with the Standard Model expectations, with the largest excess observed at $m_{JJ} \approx 3.0 \text{ TeV}$ in the ZH channel with a local significance of 3.3σ . The global significance of this excess is 2.1σ . Upper limits on the production cross-section times the Higgs boson branching ratio to the $b\bar{b}$ final state are set for resonance masses in the range between 1.1 and 3.8 TeV with values ranging from 83 fb to 1.6 fb and 77 fb to 1.1 fb (at 95% CL) for WH and ZH resonances, respectively. The corresponding excluded heavy vector triplet *Model B* signal mass ranges are 1.1–2.5 TeV for WH resonances, and 1.1–2.6 TeV for ZH resonances.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan;

jan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [61].

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] M.J. Dugan, H. Georgi, D.B. Kaplan, Anatomy of a composite Higgs model, Nucl. Phys. B 254 (1985) 299.
- [4] K. Agashe, R. Contino, A. Pomarol, The minimal composite Higgs model, Nucl. Phys. B 719 (2005) 165, arXiv:hep-ph/0412089.
- [5] M. Schmaltz, D. Tucker-Smith, Little Higgs review, Annu. Rev. Nucl. Part. Sci. 55 (2005) 229, arXiv:hep-ph/0502182.
- [6] K. Agashe, et al., LHC signals for warped electroweak neutral gauge bosons, Phys. Rev. D 76 (2007) 115015, arXiv:0709.0007 [hep-ph].
- [7] K. Agashe, et al., LHC signals for warped electroweak charged gauge bosons, Phys. Rev. D 80 (2009) 075007, arXiv:0810.1497 [hep-ph].
- [8] D. Pappadopulo, et al., Heavy vector triplets: bridging theory and data, J. High Energy Phys. 09 (2014) 060, arXiv:1402.4431 [hep-ph].
- [9] J. de Blas, J.M. Lizana, M. Perez-Victoria, Combining searches of Z' and W' bosons, J. High Energy Phys. 01 (2013) 166, arXiv:1211.2229 [hep-ph].
- [10] V.D. Barger, W.-Y. Keung, E. Ma, A gauge model with light W and Z bosons, Phys. Rev. D 22 (1980) 727.
- [11] R. Contino, et al., On the effect of resonances in composite Higgs phenomenology, J. High Energy Phys. 10 (2011) 081, arXiv:1109.1570 [hep-ph].
- [12] ATLAS Collaboration, Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell/\ell\nu/\nu\nu + b\bar{b}$ final states with the ATLAS detector, Eur. Phys. J. C 75 (2015) 263, arXiv:1503.08089 [hep-ex].
- [13] ATLAS Collaboration, Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\ell^+\ell^-b\bar{b}$, $\ell\nu b\bar{b}$, and $\nu\bar{\nu}b\bar{b}$ channels with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 765 (2017) 32, arXiv:1607.05621 [hep-ex].
- [14] CMS Collaboration, Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton–proton collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 02 (2016) 145, arXiv:1506.01443 [hep-ex].
- [15] CMS Collaboration, Search for massive WH resonances decaying into the $\ell\nu b\bar{b}$ final state at $\sqrt{s} = 8$ TeV, Eur. Phys. J. C 76 (2016) 237, arXiv:1601.06431 [hep-ex].
- [16] CMS Collaboration, Search for narrow high-mass resonances in proton–proton collisions at $\sqrt{s} = 8$ TeV decaying to a Z and a Higgs boson, Phys. Lett. B 748 (2015) 255, arXiv:1502.04994 [hep-ex].
- [17] ATLAS Collaboration, Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 09 (2016) 173, arXiv:1606.04833 [hep-ex].
- [18] CMS Collaboration, Combination of searches for heavy resonances decaying to WW , WZ , ZH , and ZH boson pairs in proton–proton collisions at $\sqrt{s} = 8$ and 13 TeV, arXiv:1705.09171 [hep-ex], 2017.
- [19] CMS Collaboration, Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV, arXiv:1707.01303 [hep-ex], 2017.
- [20] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. 3 (2008) S08003.
- [21] ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report (ATLAS-TDR-19), <https://cds.cern.ch/record/1291633>, ATLAS Insertable B-Layer Technical Design Report Addendum (ATLAS-TDR-19-ADD-1), <https://cds.cern.ch/record/1451888>.
- [22] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [23] M. Cacciari, G.P. Salam, G. Soyez, The anti- $k(t)$ jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [24] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [25] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [26] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [27] ATLAS Collaboration, ATLAS Run 1 PYTHIA 8 tunes, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [28] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, J. High Energy Phys. 06 (2002) 029, arXiv:hep-ph/0204244.
- [29] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241.
- [30] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [31] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, Phys. Rev. D 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [32] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012, arXiv:hep-ph/0201195.
- [33] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, Comput. Phys. Commun. 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [34] ATLAS Collaboration, Comparison of Monte Carlo generator predictions for gap fraction and jet multiplicity observables in $t\bar{t}$ events, ATL-PHYS-PUB-2014-005, <https://cds.cern.ch/record/1703034>, 2014.
- [35] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [36] D.J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods A 462 (2001) 152.
- [37] S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [38] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [hep-ph].
- [39] ATLAS Collaboration, Performance of jet substructure techniques for large- R jets in proton–proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, J. High Energy Phys. 09 (2013) 076, arXiv:1306.4945 [hep-ex].
- [40] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, arXiv:1603.02934 [hep-ex], 2016.
- [41] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, J. High Energy Phys. 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [42] S. Catani, et al., Longitudinally invariant k_\perp clustering algorithms for hadron hadron collisions, Nucl. Phys. B 406 (1993) 187.
- [43] ATLAS Collaboration, Jet mass reconstruction with the ATLAS detector in early Run 2 data, ATLAS-CONF-2016-035, <https://cds.cern.ch/record/2200211>, 2016.
- [44] M. Cacciari, G.P. Salam, Pileup subtraction using jet areas, Phys. Lett. B 659 (2008) 119, arXiv:0707.1378 [hep-ph].
- [45] ATLAS Collaboration, Expected performance of boosted Higgs ($\rightarrow b\bar{b}$) boson identification with the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-035, <https://cds.cern.ch/record/2042155>, 2015.
- [46] ATLAS Collaboration, Optimisation of the ATLAS b -tagging performance for the 2016 LHC Run, ATL-PHYS-PUB-2016-012, <https://cds.cern.ch/record/2160731>, 2016.
- [47] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ph].

- [48] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.0598 [hep-ex].
- [49] ATLAS Collaboration, Boosted Higgs ($\rightarrow b\bar{b}$) boson identification with the ATLAS detector at $\sqrt{s} = 13$ TeV, ATLAS-CONF-2016-039 <https://cds.cern.ch/record/2206038>, 2016.
- [50] ATLAS Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data, Eur. Phys. J. C 74 (2014) 2941, arXiv:1404.2240 [hep-ex].
- [51] ATLAS Collaboration, Expected performance of missing transverse momentum reconstruction for the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-023, <https://cds.cern.ch/record/2037700>, 2015.
- [52] ATLAS Collaboration, Identification of boosted, hadronically-decaying W and Z bosons in $\sqrt{s} = 13$ TeV Monte Carlo simulations for ATLAS, ATL-PHYS-PUB-2015-033, <https://cds.cern.ch/record/2041461>, 2015.
- [53] A.J. Larkoski, I. Moult, D. Neill, Power counting to better jet observables, J. High Energy Phys. 12 (2014) 009, arXiv:1409.6298 [hep-ph].
- [54] A.J. Larkoski, I. Moult, D. Neill, Analytic boosted boson discrimination, J. High Energy Phys. 05 (2016) 117, arXiv:1507.03018 [hep-ph].
- [55] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ph].
- [56] ATLAS Collaboration, Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector, Phys. Rev. D 93 (2016) 032009, arXiv:1510.03818 [hep-ex].
- [57] ATLAS Collaboration, Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, J. High Energy Phys. 03 (2016) 026, arXiv:1512.02586 [hep-ph].
- [58] G. Cowan, et al., Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [59] E. Gross, O. Vitells, Trial factors or the look elsewhere effect in high energy physics, Eur. Phys. J. C 70 (2010) 525, arXiv:1005.1891 [hep-ph].
- [60] A.L. Read, Presentation of search results: the CL(s) technique, J. Phys. G 28 (2002) 2693.
- [61] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>, 2016.

The ATLAS Collaboration

M. Aaboud ^{137d}, G. Aad ⁸⁸, B. Abbott ¹¹⁵, O. Abdinov ^{12,*}, B. Abelsoos ¹¹⁹, S.H. Abidi ¹⁶¹, O.S. AbouZeid ¹³⁹, N.L. Abraham ¹⁵¹, H. Abramowicz ¹⁵⁵, H. Abreu ¹⁵⁴, R. Abreu ¹¹⁸, Y. Abulaiti ^{148a,148b}, B.S. Acharya ^{167a,167b,a}, S. Adachi ¹⁵⁷, L. Adamczyk ^{41a}, J. Adelman ¹¹⁰, M. Adersberger ¹⁰², T. Adye ¹³³, A.A. Affolder ¹³⁹, T. Agatonovic-Jovin ¹⁴, C. Agheorghiesei ^{28c}, J.A. Aguilar-Saavedra ^{128a,128f}, S.P. Ahlen ²⁴, F. Ahmadov ^{68,b}, G. Aielli ^{135a,135b}, S. Akatsuka ⁷¹, H. Akerstedt ^{148a,148b}, T.P.A. Åkesson ⁸⁴, E. Akilli ⁵², A.V. Akimov ⁹⁸, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷², P. Albicocco ⁵⁰, M.J. Alconada Verzini ⁷⁴, S.C. Alderweireldt ¹⁰⁸, M. Aleksa ³², I.N. Aleksandrov ⁶⁸, C. Alexa ^{28b}, G. Alexander ¹⁵⁵, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁵, B. Ali ¹³⁰, M. Aliev ^{76a,76b}, G. Alimonti ^{94a}, J. Alison ³³, S.P. Alkire ³⁸, B.M.M. Allbrooke ¹⁵¹, B.W. Allen ¹¹⁸, P.P. Allport ¹⁹, A. Aloisio ^{106a,106b}, A. Alonso ³⁹, F. Alonso ⁷⁴, C. Alpigiani ¹⁴⁰, A.A. Alshehri ⁵⁶, M.I. Alstaty ⁸⁸, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁷⁰, M.G. Alvaggi ^{106a,106b}, B.T. Amadio ¹⁶, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹², S.P. Amor Dos Santos ^{128a,128c}, A. Amorim ^{128a,128b}, S. Amoroso ³², G. Amundsen ²⁵, C. Anastopoulos ¹⁴¹, L.S. Ancu ⁵², N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, J.K. Anders ⁷⁷, K.J. Anderson ³³, A. Andreazza ^{94a,94b}, V. Andrei ^{60a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁹, A. Angerami ³⁸, A.V. Anisenkov ^{111,c}, N. Anjos ¹³, A. Annovi ^{126a,126b}, C. Antel ^{60a}, M. Antonelli ⁵⁰, A. Antonov ^{100,*}, D.J. Antrim ¹⁶⁶, F. Anulli ^{134a}, M. Aoki ⁶⁹, L. Aperio Bella ³², G. Arabidze ⁹³, Y. Arai ⁶⁹, J.P. Araque ^{128a}, V. Araujo Ferraz ^{26a}, A.T.H. Arce ⁴⁸, R.E. Ardell ⁸⁰, F.A. Arduh ⁷⁴, J-F. Arguin ⁹⁷, S. Argyropoulos ⁶⁶, M. Arik ^{20a}, A.J. Armbruster ³², L.J. Armitage ⁷⁹, O. Arnaez ¹⁶¹, H. Arnold ⁵¹, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ⁹⁹, G. Artoni ¹²², S. Artz ⁸⁶, S. Asai ¹⁵⁷, N. Asbah ⁴⁵, A. Ashkenazi ¹⁵⁵, L. Asquith ¹⁵¹, K. Assamagan ²⁷, R. Astalos ^{146a}, M. Atkinson ¹⁶⁹, N.B. Atlay ¹⁴³, K. Augsten ¹³⁰, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ¹¹⁹, G. Azuelos ^{97,d}, A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁸, K. Bachas ^{76a,76b}, M. Backes ¹²², M. Backhaus ³², P. Bagnaia ^{134a,134b}, M. Bahmani ⁴², H. Bahrasemani ¹⁴⁴, J.T. Baines ¹³³, M. Bajic ³⁹, O.K. Baker ¹⁷⁹, E.M. Baldin ^{111,c}, P. Balek ¹⁷⁵, F. Balli ¹³⁸, W.K. Balunas ¹²⁴, E. Banas ⁴², A. Bandyopadhyay ²³, Sw. Banerjee ^{176,e}, A.A.E. Bannoura ¹⁷⁸, L. Barak ³², E.L. Barberio ⁹¹, D. Barberis ^{53a,53b}, M. Barbero ⁸⁸, T. Barillari ¹⁰³, M-S Barisits ³², J.T. Barkeloo ¹¹⁸, T. Barklow ¹⁴⁵, N. Barlow ³⁰, S.L. Barnes ^{36c}, B.M. Barnett ¹³³, R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ^{36a}, A. Baroncelli ^{136a}, G. Barone ²⁵, A.J. Barr ¹²², L. Barranco Navarro ¹⁷⁰, F. Barreiro ⁸⁵, J. Barreiro Guimaraes da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.E. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵, A. Bassalat ^{119,f}, R.L. Bates ⁵⁶, S.J. Batista ¹⁶¹, J.R. Batley ³⁰, M. Battaglia ¹³⁹, M. Bause ^{134a,134b}, F. Bauer ¹³⁸, H.S. Bawa ^{145,g}, J.B. Beacham ¹¹³, M.D. Beattie ⁷⁵, T. Beau ⁸³, P.H. Beauchemin ¹⁶⁵, P. Bechtle ²³, H.P. Beck ^{18,h}, H.C. Beck ⁵⁷, K. Becker ¹²², M. Becker ⁸⁶, M. Beckingham ¹⁷³, C. Becot ¹¹², A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, J.K. Behr ⁴⁵, A.S. Bell ⁸¹, G. Bella ¹⁵⁵, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ¹⁵⁴, K. Belotskiy ¹⁰⁰, O. Beltramello ³², N.L. Belyaev ¹⁰⁰, O. Benary ^{155,*}, D. Benchekroun ^{137a}, M. Bender ¹⁰², K. Bendtz ^{148a,148b}, N. Benekos ¹⁰, Y. Benhammou ¹⁵⁵, E. Benhar Noccioli ¹⁷⁹, J. Benitez ⁶⁶, D.P. Benjamin ⁴⁸, M. Benoit ⁵², J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁹, L. Beresford ¹²², M. Beretta ⁵⁰, D. Berge ¹⁰⁹, E. Bergeaas Kuutmann ¹⁶⁸, N. Berger ⁵, J. Beringer ¹⁶, S. Berlendis ⁵⁸, N.R. Bernard ⁸⁹,

- G. Bernardi ⁸³, C. Bernius ¹⁴⁵, F.U. Bernlochner ²³, T. Berry ⁸⁰, P. Berta ¹³¹, C. Bertella ^{35a},
 G. Bertoli ^{148a,148b}, F. Bertolucci ^{126a,126b}, I.A. Bertram ⁷⁵, C. Bertsche ⁴⁵, D. Bertsche ¹¹⁵, G.J. Besjes ³⁹,
 O. Bessidskaia Bylund ^{148a,148b}, M. Bessner ⁴⁵, N. Besson ¹³⁸, C. Betancourt ⁵¹, A. Bethani ⁸⁷, S. Bethke ¹⁰³,
 A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶,
 N.V. Biesuz ^{126a,126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, H. Bilokon ⁵⁰, M. Bindi ⁵⁷, A. Bingul ^{20b},
 C. Bini ^{134a,134b}, S. Biondi ^{22a,22b}, T. Bisanz ⁵⁷, C. Bittrich ⁴⁷, D.M. Bjergaard ⁴⁸, C.W. Black ¹⁵², J.E. Black ¹⁴⁵,
 K.M. Black ²⁴, R.E. Blair ⁶, T. Blazek ^{146a}, I. Bloch ⁴⁵, C. Blocker ²⁵, A. Blue ⁵⁶, W. Blum ^{86,*},
 U. Blumenschein ⁷⁹, S. Blunier ^{34a}, G.J. Bobbink ¹⁰⁹, V.S. Bobrovnikov ^{111,c}, S.S. Bocchetta ⁸⁴, A. Bocci ⁴⁸,
 C. Bock ¹⁰², M. Boehler ⁵¹, D. Boerner ¹⁷⁸, D. Bogavac ¹⁰², A.G. Bogdanchikov ¹¹¹, C. Bohm ^{148a},
 V. Boisvert ⁸⁰, P. Bokan ^{168,i}, T. Bold ^{41a}, A.S. Boldyrev ¹⁰¹, A.E. Bolz ^{60b}, M. Bomben ⁸³, M. Bona ⁷⁹,
 M. Boonekamp ¹³⁸, A. Borisov ¹³², G. Borissov ⁷⁵, J. Bortfeldt ³², D. Bortoletto ¹²², V. Bortolotto ^{62a,62b,62c},
 D. Boscherini ^{22a}, M. Bosman ¹³, J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁷, J. Bouffard ², E.V. Bouhova-Thacker ⁷⁵,
 D. Boumediene ³⁷, C. Bourdarios ¹¹⁹, S.K. Boutle ⁵⁶, A. Boveia ¹¹³, J. Boyd ³², I.R. Boyko ⁶⁸, J. Bracinik ¹⁹,
 A. Brandt ⁸, G. Brandt ⁵⁷, O. Brandt ^{60a}, U. Bratzler ¹⁵⁸, B. Brau ⁸⁹, J.E. Brau ¹¹⁸, W.D. Breaden Madden ⁵⁶,
 K. Brendlinger ⁴⁵, A.J. Brennan ⁹¹, L. Brenner ¹⁰⁹, R. Brenner ¹⁶⁸, S. Bressler ¹⁷⁵, D.L. Briglin ¹⁹,
 T.M. Bristow ⁴⁹, D. Britton ⁵⁶, D. Britzger ⁴⁵, F.M. Brochu ³⁰, I. Brock ²³, R. Brock ⁹³, G. Brooijmans ³⁸,
 T. Brooks ⁸⁰, W.K. Brooks ^{34b}, J. Brosamer ¹⁶, E. Brost ¹¹⁰, J.H. Broughton ¹⁹, P.A. Bruckman de Renstrom ⁴²,
 D. Bruncko ^{146b}, A. Bruni ^{22a}, G. Bruni ^{22a}, L.S. Bruni ¹⁰⁹, B.H. Brunt ³⁰, M. Bruschi ^{22a}, N. Bruscino ²³,
 P. Bryant ³³, L. Bryngemark ⁴⁵, T. Buanes ¹⁵, Q. Buat ¹⁴⁴, P. Buchholz ¹⁴³, A.G. Buckley ⁵⁶, I.A. Budagov ⁶⁸,
 F. Buehrer ⁵¹, M.K. Bugge ¹²¹, O. Bulekov ¹⁰⁰, D. Bullock ⁸, T.J. Burch ¹¹⁰, S. Burdin ⁷⁷, C.D. Burgard ⁵¹,
 A.M. Burger ⁵, B. Burghgrave ¹¹⁰, K. Burka ⁴², S. Burke ¹³³, I. Burmeister ⁴⁶, J.T.P. Burr ¹²², E. Busato ³⁷,
 D. Büscher ⁵¹, V. Büscher ⁸⁶, P. Bussey ⁵⁶, J.M. Butler ²⁴, C.M. Buttar ⁵⁶, J.M. Butterworth ⁸¹, P. Butti ³²,
 W. Buttlinger ²⁷, A. Buzatu ^{35c}, A.R. Buzykaev ^{111,c}, S. Cabrera Urbán ¹⁷⁰, D. Caforio ¹³⁰, V.M. Cairo ^{40a,40b},
 O. Cakir ^{4a}, N. Calace ⁵², P. Calafiura ¹⁶, A. Calandri ⁸⁸, G. Calderini ⁸³, P. Calfayan ⁶⁴, G. Callea ^{40a,40b},
 L.P. Caloba ^{26a}, S. Calvente Lopez ⁸⁵, D. Calvet ³⁷, S. Calvet ³⁷, T.P. Calvet ⁸⁸, R. Camacho Toro ³³,
 S. Camarda ³², P. Camarri ^{135a,135b}, D. Cameron ¹²¹, R. Caminal Armadans ¹⁶⁹, C. Camincher ⁵⁸,
 S. Campana ³², M. Campanelli ⁸¹, A. Camplani ^{94a,94b}, A. Campoverde ¹⁴³, V. Canale ^{106a,106b},
 M. Cano Bret ^{36c}, J. Cantero ¹¹⁶, T. Cao ¹⁵⁵, M.D.M. Capeans Garrido ³², I. Caprini ^{28b}, M. Caprini ^{28b},
 M. Capua ^{40a,40b}, R.M. Carbone ³⁸, R. Cardarelli ^{135a}, F. Cardillo ⁵¹, I. Carli ¹³¹, T. Carli ³², G. Carlino ^{106a},
 B.T. Carlson ¹²⁷, L. Carminati ^{94a,94b}, R.M.D. Carney ^{148a,148b}, S. Caron ¹⁰⁸, E. Carquin ^{34b}, S. Carrá ^{94a,94b},
 G.D. Carrillo-Montoya ³², J. Carvalho ^{128a,128c}, D. Casadei ¹⁹, M.P. Casado ^{13,j}, M. Casolino ¹³,
 D.W. Casper ¹⁶⁶, R. Castelijn ¹⁰⁹, V. Castillo Gimenez ¹⁷⁰, N.F. Castro ^{128a,k}, A. Catinaccio ³²,
 J.R. Catmore ¹²¹, A. Cattai ³², J. Caudron ²³, V. Cavaliere ¹⁶⁹, E. Cavallaro ¹³, D. Cavalli ^{94a},
 M. Cavalli-Sforza ¹³, V. Cavasinni ^{126a,126b}, E. Celebi ^{20d}, F. Ceradini ^{136a,136b}, L. Cerdá Alberich ¹⁷⁰,
 A.S. Cerqueira ^{26b}, A. Cerri ¹⁵¹, L. Cerrito ^{135a,135b}, F. Cerutti ¹⁶, A. Cervelli ¹⁸, S.A. Cetin ^{20d}, A. Chafaq ^{137a},
 D. Chakraborty ¹¹⁰, S.K. Chan ⁵⁹, W.S. Chan ¹⁰⁹, Y.L. Chan ^{62a}, P. Chang ¹⁶⁹, J.D. Chapman ³⁰,
 D.G. Charlton ¹⁹, C.C. Chau ¹⁶¹, C.A. Chavez Barajas ¹⁵¹, S. Che ¹¹³, S. Cheatham ^{167a,167c}, A. Chegwidden ⁹³,
 S. Chekanov ⁶, S.V. Chekulaev ^{163a}, G.A. Chelkov ^{68,l}, M.A. Chelstowska ³², C. Chen ⁶⁷, H. Chen ²⁷,
 J. Chen ^{36a}, S. Chen ^{35b}, S. Chen ¹⁵⁷, X. Chen ^{35c,m}, Y. Chen ⁷⁰, H.C. Cheng ⁹², H.J. Cheng ^{35a},
 A. Cheplakov ⁶⁸, E. Cheremushkina ¹³², R. Cherkaoui El Moursli ^{137e}, E. Cheu ⁷, K. Cheung ⁶³,
 L. Chevalier ¹³⁸, V. Chiarella ⁵⁰, G. Chiarelli ^{126a,126b}, G. Chiodini ^{76a}, A.S. Chisholm ³², A. Chitan ^{28b},
 Y.H. Chiu ¹⁷², M.V. Chizhov ⁶⁸, K. Choi ⁶⁴, A.R. Chomont ³⁷, S. Chouridou ¹⁵⁶, V. Christodoulou ⁸¹,
 D. Chromek-Burckhart ³², M.C. Chu ^{62a}, J. Chudoba ¹²⁹, A.J. Chuinard ⁹⁰, J.J. Chwastowski ⁴², L. Chytka ¹¹⁷,
 A.K. Ciftci ^{4a}, D. Cinca ⁴⁶, V. Cindro ⁷⁸, I.A. Cioara ²³, C. Ciocca ^{22a,22b}, A. Ciocio ¹⁶, F. Cirotto ^{106a,106b},
 Z.H. Citron ¹⁷⁵, M. Citterio ^{94a}, M. Ciubancan ^{28b}, A. Clark ⁵², B.L. Clark ⁵⁹, M.R. Clark ³⁸, P.J. Clark ⁴⁹,
 R.N. Clarke ¹⁶, C. Clement ^{148a,148b}, Y. Coadou ⁸⁸, M. Cobal ^{167a,167c}, A. Coccaro ⁵², J. Cochran ⁶⁷,
 L. Colasurdo ¹⁰⁸, B. Cole ³⁸, A.P. Colijn ¹⁰⁹, J. Collot ⁵⁸, T. Colombo ¹⁶⁶, P. Conde Muiño ^{128a,128b},
 E. Coniavitis ⁵¹, S.H. Connell ^{147b}, I.A. Connelly ⁸⁷, S. Constantinescu ^{28b}, G. Conti ³², F. Conventi ^{106a,n},
 M. Cooke ¹⁶, A.M. Cooper-Sarkar ¹²², F. Cormier ¹⁷¹, K.J.R. Cormier ¹⁶¹, M. Corradi ^{134a,134b},
 F. Corriveau ^{90,o}, A. Cortes-Gonzalez ³², G. Cortiana ¹⁰³, G. Costa ^{94a}, M.J. Costa ¹⁷⁰, D. Costanzo ¹⁴¹,
 G. Cottin ³⁰, G. Cowan ⁸⁰, B.E. Cox ⁸⁷, K. Cranmer ¹¹², S.J. Crawley ⁵⁶, R.A. Creager ¹²⁴, G. Cree ³¹,
 S. Crépé-Renaudin ⁵⁸, F. Crescioli ⁸³, W.A. Cribbs ^{148a,148b}, M. Cristinziani ²³, V. Croft ¹⁰⁸, G. Crosetti ^{40a,40b},

- A. Cueto 85, T. Cuhadar Donszelmann 141, A.R. Cukierman 145, J. Cummings 179, M. Curatolo 50, J. Cúth 86, P. Czodrowski 32, G. D’amen 22a,22b, S. D’Auria 56, L. D’eramo 83, M. D’Onofrio 77, M.J. Da Cunha Sargedas De Sousa 128a,128b, C. Da Via 87, W. Dabrowski 41a, T. Dado 146a, T. Dai 92, O. Dale 15, F. Dallaire 97, C. Dallapiccola 89, M. Dam 39, J.R. Dandoy 124, M.F. Daneri 29, N.P. Dang 176, A.C. Daniels 19, N.S. Dann 87, M. Danninger 171, M. Dano Hoffmann 138, V. Dao 150, G. Darbo 53a, S. Darmora 8, J. Dassoulas 3, A. Dattagupta 118, T. Daubney 45, W. Davey 23, C. David 45, T. Davidek 131, D.R. Davis 48, P. Davison 81, E. Dawe 91, I. Dawson 141, K. De 8, R. de Asmundis 106a, A. De Benedetti 115, S. De Castro 22a,22b, S. De Cecco 83, N. De Groot 108, P. de Jong 109, H. De la Torre 93, F. De Lorenzi 67, A. De Maria 57, D. De Pedis 134a, A. De Salvo 134a, U. De Sanctis 135a,135b, A. De Santo 151, K. De Vasconcelos Corga 88, J.B. De Vivie De Regie 119, W.J. Dearnaley 75, R. Debbe 27, C. Debenedetti 139, D.V. Dedovich 68, N. Dehghanian 3, I. Deigaard 109, M. Del Gaudio 40a,40b, J. Del Peso 85, D. Delgove 119, F. Deliot 138, C.M. Delitzsch 52, A. Dell’Acqua 32, L. Dell’Asta 24, M. Dell’Orso 126a,126b, M. Della Pietra 106a,106b, D. della Volpe 52, M. Delmastro 5, C. Delporte 119, P.A. Delsart 58, D.A. DeMarco 161, S. Demers 179, M. Demichev 68, A. Demilly 83, S.P. Denisov 132, D. Denysiuk 138, D. Derendarz 42, J.E. Derkaoui 137d, F. Derue 83, P. Dervan 77, K. Desch 23, C. Deterre 45, K. Dette 46, M.R. Devesa 29, P.O. Deviveiros 32, A. Dewhurst 133, S. Dhaliwal 25, F.A. Di Bello 52, A. Di Ciaccio 135a,135b, L. Di Ciaccio 5, W.K. Di Clemente 124, C. Di Donato 106a,106b, A. Di Girolamo 32, B. Di Girolamo 32, B. Di Micco 136a,136b, R. Di Nardo 32, K.F. Di Petrillo 59, A. Di Simone 51, R. Di Sipio 161, D. Di Valentino 31, C. Diaconu 88, M. Diamond 161, F.A. Dias 39, M.A. Diaz 34a, E.B. Diehl 92, J. Dietrich 17, S. Díez Cornell 45, A. Dimitrijevska 14, J. Dingfelder 23, P. Dita 28b, S. Dita 28b, F. Dittus 32, F. Djama 88, T. Djobava 54b, J.I. Djupsland 60a, M.A.B. do Vale 26c, D. Dobos 32, M. Dobre 28b, C. Doglioni 84, J. Dolejsi 131, Z. Dolezal 131, M. Donadelli 26d, S. Donati 126a,126b, P. Dondero 123a,123b, J. Donini 37, J. Dopke 133, A. Doria 106a, M.T. Dova 74, A.T. Doyle 56, E. Drechsler 57, M. Dris 10, Y. Du 36b, J. Duarte-Campderros 155, A. Dubreuil 52, E. Duchovni 175, G. Duckeck 102, A. Ducourthial 83, O.A. Duccu 97,p, D. Duda 109, A. Dudarev 32, A. Chr. Dudder 86, E.M. Duffield 16, L. Duflot 119, M. Dührssen 32, M. Dumancic 175, A.E. Dumitriu 28b, A.K. Duncan 56, M. Dunford 60a, H. Duran Yildiz 4a, M. Düren 55, A. Durglishvili 54b, D. Duschinger 47, B. Dutta 45, D. Duvnjak 1, M. Dyndal 45, B.S. Dziedzic 42, C. Eckardt 45, K.M. Ecker 103, R.C. Edgar 92, T. Eifert 32, G. Eigen 15, K. Einsweiler 16, T. Ekelof 168, M. El Kacimi 137c, R. El Kosseifi 88, V. Ellajosyula 88, M. Ellert 168, S. Elles 5, F. Ellinghaus 178, A.A. Elliot 172, N. Ellis 32, J. Elmsheuser 27, M. Elsing 32, D. Emeliyanov 133, Y. Enari 157, O.C. Endner 86, J.S. Ennis 173, J. Erdmann 46, A. Ereditato 18, M. Ernst 27, S. Errede 169, M. Escalier 119, C. Escobar 170, B. Esposito 50, O. Estrada Pastor 170, A.I. Etienne 138, E. Etzion 155, H. Evans 64, A. Ezhilov 125, M. Ezzi 137e, F. Fabbri 22a,22b, L. Fabbri 22a,22b, V. Fabiani 108, G. Facini 81, R.M. Fakhrutdinov 132, S. Falciano 134a, R.J. Falla 81, J. Faltova 32, Y. Fang 35a, M. Fanti 94a,94b, A. Farbin 8, A. Farilla 136a, C. Farina 127, E.M. Farina 123a,123b, T. Farooque 93, S. Farrell 16, S.M. Farrington 173, P. Farthouat 32, F. Fassi 137e, P. Fassnacht 32, D. Fassouliotis 9, M. Faucci Giannelli 80, A. Favareto 53a,53b, W.J. Fawcett 122, L. Fayard 119, O.L. Fedin 125,q, W. Fedorko 171, S. Feigl 121, L. Feligioni 88, C. Feng 36b, E.J. Feng 32, H. Feng 92, M.J. Fenton 56, A.B. Fenyuk 132, L. Feremenga 8, P. Fernandez Martinez 170, S. Fernandez Perez 13, J. Ferrando 45, A. Ferrari 168, P. Ferrari 109, R. Ferrari 123a, D.E. Ferreira de Lima 60b, A. Ferrer 170, D. Ferrere 52, C. Ferretti 92, F. Fiedler 86, A. Filipčič 78, M. Filipuzzi 45, F. Filthaut 108, M. Fincke-Keeler 172, K.D. Finelli 152, M.C.N. Fiolhais 128a,128c,r, L. Fiorini 170, A. Fischer 2, C. Fischer 13, J. Fischer 178, W.C. Fisher 93, N. Flaschel 45, I. Fleck 143, P. Fleischmann 92, R.R.M. Fletcher 124, T. Flick 178, B.M. Flierl 102, L.R. Flores Castillo 62a, M.J. Flowerdew 103, G.T. Forcolin 87, A. Formica 138, F.A. Förster 13, A. Forti 87, A.G. Foster 19, D. Fournier 119, H. Fox 75, S. Fracchia 141, P. Francavilla 83, M. Franchini 22a,22b, S. Franchino 60a, D. Francis 32, L. Franconi 121, M. Franklin 59, M. Frate 166, M. Fraternali 123a,123b, D. Freeborn 81, S.M. Fressard-Batraneanu 32, B. Freund 97, D. Froidevaux 32, J.A. Frost 122, C. Fukunaga 158, T. Fusayasu 104, J. Fuster 170, C. Gabaldon 58, O. Gabizon 154, A. Gabrielli 22a,22b, A. Gabrielli 16, G.P. Gach 41a, S. Gadatsch 32, S. Gadomski 80, G. Gagliardi 53a,53b, L.G. Gagnon 97, C. Galea 108, B. Galhardo 128a,128c, E.J. Gallas 122, B.J. Gallop 133, P. Gallus 130, G. Galster 39, K.K. Gan 113, S. Ganguly 37, Y. Gao 77, Y.S. Gao 145,g, F.M. Garay Walls 49, C. García 170, J.E. García Navarro 170, J.A. García Pascual 35a, M. Garcia-Sciveres 16, R.W. Gardner 33, N. Garelli 145, V. Garonne 121, A. Gascon Bravo 45, K. Gasnikova 45, C. Gatti 50, A. Gaudiello 53a,53b, G. Gaudio 123a, I.L. Gavrilenco 98, C. Gay 171, G. Gaycken 23, E.N. Gazis 10, C.N.P. Gee 133, J. Geisen 57,

- M. Geisen 86, M.P. Geisler 60a, K. Gellerstedt 148a,148b, C. Gemme 53a, M.H. Genest 58, C. Geng 92, S. Gentile 134a,134b, C. Gentsos 156, S. George 80, D. Gerbaudo 13, A. Gershon 155, G. Geßner 46, S. Ghasemi 143, M. Ghneimat 23, B. Giacobbe 22a, S. Giagu 134a,134b, N. Giangiacomi 22a,22b, P. Giannetti 126a,126b, S.M. Gibson 80, M. Gignac 171, M. Gilchriese 16, D. Gillberg 31, G. Gilles 178, D.M. Gingrich 3,d, N. Giokaris 9,* , M.P. Giordani 167a,167c, F.M. Giorgi 22a, P.F. Giraud 138, P. Giromini 59, D. Giugni 94a, F. Giuli 122, C. Giuliani 103, M. Giulini 60b, B.K. Gjelsten 121, S. Gkaitatzis 156, I. Gkialas 9,s, E.L. Gkougkousis 139, P. Gkountoumis 10, L.K. Gladilin 101, C. Glasman 85, J. Glatzer 13, P.C.F. Glaysher 45, A. Glazov 45, M. Goblirsch-Kolb 25, J. Godlewski 42, S. Goldfarb 91, T. Golling 52, D. Golubkov 132, A. Gomes 128a,128b,128d, R. Gonçalo 128a, R. Goncalves Gama 26a, J. Goncalves Pinto Firmino Da Costa 138, G. Gonella 51, L. Gonella 19, A. Gongadze 68, S. González de la Hoz 170, S. Gonzalez-Sevilla 52, L. Goossens 32, P.A. Gorbounov 99, H.A. Gordon 27, I. Gorelov 107, B. Gorini 32, E. Gorini 76a,76b, A. Gorišek 78, A.T. Goshaw 48, C. Gössling 46, M.I. Gostkin 68, C.A. Gottardo 23, C.R. Goudet 119, D. Goujdami 137c, A.G. Goussiou 140, N. Govender 147b,t, E. Gozani 154, L. Graber 57, I. Grabowska-Bold 41a, P.O.J. Gradin 168, J. Gramling 166, E. Gramstad 121, S. Grancagnolo 17, V. Gratchev 125, P.M. Gravila 28f, C. Gray 56, H.M. Gray 16, Z.D. Greenwood 82,u, C. Grefe 23, K. Gregersen 81, I.M. Gregor 45, P. Grenier 145, K. Grevtsov 5, J. Griffiths 8, A.A. Grillo 139, K. Grimm 75, S. Grinstein 13,v, Ph. Gris 37, J.-F. Grivaz 119, S. Groh 86, E. Gross 175, J. Grosse-Knetter 57, G.C. Grossi 82, Z.J. Grout 81, A. Grummer 107, L. Guan 92, W. Guan 176, J. Guenther 65, F. Guescini 163a, D. Guest 166, O. Gueta 155, B. Gui 113, E. Guido 53a,53b, T. Guillemin 5, S. Guindon 2, U. Gul 56, C. Gumpert 32, J. Guo 36c, W. Guo 92, Y. Guo 36a, R. Gupta 43, S. Gupta 122, G. Gustavino 134a,134b, P. Gutierrez 115, N.G. Gutierrez Ortiz 81, C. Gutschow 81, C. Guyot 138, M.P. Guzik 41a, C. Gwenlan 122, C.B. Gwilliam 77, A. Haas 112, C. Haber 16, H.K. Hadavand 8, N. Haddad 137e, A. Hadef 88, S. Hageböck 23, M. Hagihara 164, H. Hakobyan 180,* , M. Haleem 45, J. Haley 116, G. Halladjian 93, G.D. Hallewell 88, K. Hamacher 178, P. Hamal 117, K. Hamano 172, A. Hamilton 147a, G.N. Hamity 141, P.G. Hamnett 45, L. Han 36a, S. Han 35a, K. Hanagaki 69,w, K. Hanawa 157, M. Hance 139, B. Haney 124, P. Hanke 60a, J.B. Hansen 39, J.D. Hansen 39, M.C. Hansen 23, P.H. Hansen 39, K. Hara 164, A.S. Hard 176, T. Harenberg 178, F. Hariri 119, S. Harkusha 95, R.D. Harrington 49, P.F. Harrison 173, N.M. Hartmann 102, M. Hasegawa 70, Y. Hasegawa 142, A. Hasib 49, S. Hassani 138, S. Haug 18, R. Hauser 93, L. Hauswald 47, L.B. Havener 38, M. Havranek 130, C.M. Hawkes 19, R.J. Hawkings 32, D. Hayakawa 159, D. Hayden 93, C.P. Hays 122, J.M. Hays 79, H.S. Hayward 77, S.J. Haywood 133, S.J. Head 19, T. Heck 86, V. Hedberg 84, L. Heelan 8, S. Heer 23, K.K. Heidegger 51, S. Heim 45, T. Heim 16, B. Heinemann 45,x, J.J. Heinrich 102, L. Heinrich 112, C. Heinz 55, J. Hejbal 129, L. Helary 32, A. Held 171, S. Hellman 148a,148b, C. Helsens 32, R.C.W. Henderson 75, Y. Heng 176, S. Henkelmann 171, A.M. Henriques Correia 32, S. Henrot-Versille 119, G.H. Herbert 17, H. Herde 25, V. Herget 177, Y. Hernández Jiménez 147c, H. Herr 86, G. Herten 51, R. Hertenberger 102, L. Hervas 32, T.C. Herwig 124, G.G. Hesketh 81, N.P. Hessey 163a, J.W. Hetherly 43, S. Higashino 69, E. Higón-Rodriguez 170, K. Hildebrand 33, E. Hill 172, J.C. Hill 30, K.H. Hiller 45, S.J. Hillier 19, M. Hils 47, I. Hinchliffe 16, M. Hirose 51, D. Hirschbuehl 178, B. Hiti 78, O. Hladik 129, X. Hoad 49, J. Hobbs 150, N. Hod 163a, M.C. Hodgkinson 141, P. Hodgson 141, A. Hoecker 32, M.R. Hoeferkamp 107, F. Hoenig 102, D. Hohn 23, T.R. Holmes 33, M. Homann 46, S. Honda 164, T. Honda 69, T.M. Hong 127, B.H. Hooberman 169, W.H. Hopkins 118, Y. Horii 105, A.J. Horton 144, J.-Y. Hostachy 58, S. Hou 153, A. Hoummada 137a, J. Howarth 87, J. Hoya 74, M. Hrabovsky 117, J. Hrdinka 32, I. Hristova 17, J. Hrivnac 119, T. Hryna'ova 5, A. Hrynevich 96, P.J. Hsu 63, S.-C. Hsu 140, Q. Hu 36a, S. Hu 36c, Y. Huang 35a, Z. Hubacek 130, F. Hubaut 88, F. Huegging 23, T.B. Huffman 122, E.W. Hughes 38, G. Hughes 75, M. Huhtinen 32, P. Huo 150, N. Huseynov 68,b, J. Huston 93, J. Huth 59, G. Iacobucci 52, G. Iakovidis 27, I. Ibragimov 143, L. Iconomidou-Fayard 119, Z. Idrissi 137e, P. Iengo 32, O. Igolkina 109,y, T. Iizawa 174, Y. Ikegami 69, M. Ikeno 69, Y. Ilchenko 11,z, D. Iliadis 156, N. Ilic 145, G. Introzzi 123a,123b, P. Ioannou 9,* , M. Iodice 136a, K. Iordanidou 38, V. Ippolito 59, M.F. Isacson 168, N. Ishijima 120, M. Ishino 157, M. Ishitsuka 159, C. Issever 122, S. Istiń 20a, F. Ito 164, J.M. Iturbe Ponce 62a, R. Iuppa 162a,162b, H. Iwasaki 69, J.M. Izen 44, V. Izzo 106a, S. Jabbar 3, P. Jackson 1, R.M. Jacobs 23, V. Jain 2, K.B. Jakobi 86, K. Jakobs 51, S. Jakobsen 65, T. Jakoubek 129, D.O. Jamin 116, D.K. Jana 82, R. Jansky 52, J. Janssen 23, M. Janus 57, P.A. Janus 41a, G. Jarlskog 84, N. Javadov 68,b, T. Javůrek 51, M. Javurkova 51, F. Jeanneau 138, L. Jeanty 16, J. Jejelava 54a,aa, A. Jelinskas 173, P. Jenni 51,ab, C. Jeske 173, S. Jézéquel 5, H. Ji 176, J. Jia 150, H. Jiang 67, Y. Jiang 36a, Z. Jiang 145, S. Jiggins 81, J. Jimenez Pena 170, S. Jin 35a, A. Jinaru 28b, O. Jinnouchi 159,

- H. Jivan ^{147c}, P. Johansson ¹⁴¹, K.A. Johns ⁷, C.A. Johnson ⁶⁴, W.J. Johnson ¹⁴⁰, K. Jon-And ^{148a,148b}, R.W.L. Jones ⁷⁵, S.D. Jones ¹⁵¹, S. Jones ⁷, T.J. Jones ⁷⁷, J. Jongmanns ^{60a}, P.M. Jorge ^{128a,128b}, J. Jovicevic ^{163a}, X. Ju ¹⁷⁶, A. Juste Rozas ^{13,v}, M.K. Köhler ¹⁷⁵, A. Kaczmarska ⁴², M. Kado ¹¹⁹, H. Kagan ¹¹³, M. Kagan ¹⁴⁵, S.J. Kahn ⁸⁸, T. Kaji ¹⁷⁴, E. Kajomovitz ⁴⁸, C.W. Kalderon ⁸⁴, A. Kaluza ⁸⁶, S. Kama ⁴³, A. Kamenshchikov ¹³², N. Kanaya ¹⁵⁷, L. Kanjir ⁷⁸, V.A. Kantserov ¹⁰⁰, J. Kanzaki ⁶⁹, B. Kaplan ¹¹², L.S. Kaplan ¹⁷⁶, D. Kar ^{147c}, K. Karakostas ¹⁰, N. Karastathis ¹⁰, M.J. Kareem ⁵⁷, E. Karentzos ¹⁰, S.N. Karpov ⁶⁸, Z.M. Karpova ⁶⁸, K. Karthik ¹¹², V. Kartvelishvili ⁷⁵, A.N. Karyukhin ¹³², K. Kasahara ¹⁶⁴, L. Kashif ¹⁷⁶, R.D. Kass ¹¹³, A. Kastanas ¹⁴⁹, Y. Kataoka ¹⁵⁷, C. Kato ¹⁵⁷, A. Katre ⁵², J. Katzy ⁴⁵, K. Kawade ⁷⁰, K. Kawagoe ⁷³, T. Kawamoto ¹⁵⁷, G. Kawamura ⁵⁷, E.F. Kay ⁷⁷, V.F. Kazanin ^{111,c}, R. Keeler ¹⁷², R. Kehoe ⁴³, J.S. Keller ³¹, J.J. Kempster ⁸⁰, J. Kendrick ¹⁹, H. Keoshkerian ¹⁶¹, O. Kepka ¹²⁹, B.P. Kerševan ⁷⁸, S. Kersten ¹⁷⁸, R.A. Keyes ⁹⁰, M. Khader ¹⁶⁹, F. Khalil-zada ¹², A. Khanov ¹¹⁶, A.G. Kharlamov ^{111,c}, T. Kharlamova ^{111,c}, A. Khodinov ¹⁶⁰, T.J. Khoo ⁵², V. Khovanskiy ^{99,*}, E. Khramov ⁶⁸, J. Khubua ^{54b,ac}, S. Kido ⁷⁰, C.R. Kilby ⁸⁰, H.Y. Kim ⁸, S.H. Kim ¹⁶⁴, Y.K. Kim ³³, N. Kimura ¹⁵⁶, O.M. Kind ¹⁷, B.T. King ⁷⁷, D. Kirchmeier ⁴⁷, J. Kirk ¹³³, A.E. Kiryunin ¹⁰³, T. Kishimoto ¹⁵⁷, D. Kisielewska ^{41a}, V. Kitali ⁴⁵, K. Kiuchi ¹⁶⁴, O. Kivernyk ⁵, E. Kladiva ^{146b}, T. Klapdor-Kleingrothaus ⁵¹, M.H. Klein ³⁸, M. Klein ⁷⁷, U. Klein ⁷⁷, K. Kleinknecht ⁸⁶, P. Klimek ¹¹⁰, A. Klimentov ²⁷, R. Klingenberg ⁴⁶, T. Klingl ²³, T. Klioutchnikova ³², E.-E. Kluge ^{60a}, P. Kluit ¹⁰⁹, S. Kluth ¹⁰³, E. Kneringer ⁶⁵, E.B.F.G. Knoops ⁸⁸, A. Knue ¹⁰³, A. Kobayashi ¹⁵⁷, D. Kobayashi ¹⁵⁹, T. Kobayashi ¹⁵⁷, M. Kobel ⁴⁷, M. Kocian ¹⁴⁵, P. Kodys ¹³¹, T. Koffas ³¹, E. Koffeman ¹⁰⁹, N.M. Köhler ¹⁰³, T. Koi ¹⁴⁵, M. Kolb ^{60b}, I. Koletsou ⁵, A.A. Komar ^{98,*}, Y. Komori ¹⁵⁷, T. Kondo ⁶⁹, N. Kondrashova ^{36c}, K. Köneke ⁵¹, A.C. König ¹⁰⁸, T. Kono ^{69,ad}, R. Konoplich ^{112,ae}, N. Konstantinidis ⁸¹, R. Kopeliansky ⁶⁴, S. Koperny ^{41a}, A.K. Kopp ⁵¹, K. Korcyl ⁴², K. Kordas ¹⁵⁶, A. Korn ⁸¹, A.A. Korol ^{111,c}, I. Korolkov ¹³, E.V. Korolkova ¹⁴¹, O. Kortner ¹⁰³, S. Kortner ¹⁰³, T. Kosek ¹³¹, V.V. Kostyukhin ²³, A. Kotwal ⁴⁸, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{123a,123b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴¹, V. Kouskoura ²⁷, A.B. Kowalewska ⁴², R. Kowalewski ¹⁷², T.Z. Kowalski ^{41a}, C. Kozakai ¹⁵⁷, W. Kozanecki ¹³⁸, A.S. Kozhin ¹³², V.A. Kramarenko ¹⁰¹, G. Kramberger ⁷⁸, D. Krasnoperovtsev ¹⁰⁰, M.W. Krasny ⁸³, A. Krasznahorkay ³², D. Krauss ¹⁰³, J.A. Kremer ^{41a}, J. Kretzschmar ⁷⁷, K. Kreutzfeldt ⁵⁵, P. Krieger ¹⁶¹, K. Krizka ³³, K. Kroeninger ⁴⁶, H. Kroha ¹⁰³, J. Kroll ¹²⁹, J. Kroll ¹²⁴, J. Kroseberg ²³, J. Krstic ¹⁴, U. Kruchonak ⁶⁸, H. Krüger ²³, N. Krumnack ⁶⁷, M.C. Kruse ⁴⁸, T. Kubota ⁹¹, H. Kucuk ⁸¹, S. Kuday ^{4b}, J.T. Kuechler ¹⁷⁸, S. Kuehn ³², A. Kugel ^{60a}, F. Kuger ¹⁷⁷, T. Kuhl ⁴⁵, V. Kukhtin ⁶⁸, R. Kukla ⁸⁸, Y. Kulchitsky ⁹⁵, S. Kuleshov ^{34b}, Y.P. Kulinich ¹⁶⁹, M. Kuna ^{134a,134b}, T. Kunigo ⁷¹, A. Kupco ¹²⁹, T. Kupfer ⁴⁶, O. Kuprash ¹⁵⁵, H. Kurashige ⁷⁰, L.L. Kurchaninov ^{163a}, Y.A. Kurochkin ⁹⁵, M.G. Kurth ^{35a}, V. Kus ¹²⁹, E.S. Kuwertz ¹⁷², M. Kuze ¹⁵⁹, J. Kvita ¹¹⁷, T. Kwan ¹⁷², D. Kyriazopoulos ¹⁴¹, A. La Rosa ¹⁰³, J.L. La Rosa Navarro ^{26d}, L. La Rotonda ^{40a,40b}, F. La Ruffa ^{40a,40b}, C. Lacasta ¹⁷⁰, F. Lacava ^{134a,134b}, J. Lacey ⁴⁵, H. Lacker ¹⁷, D. Lacour ⁸³, E. Ladygin ⁶⁸, R. Lafaye ⁵, B. Laforge ⁸³, T. Lagouri ¹⁷⁹, S. Lai ⁵⁷, S. Lammers ⁶⁴, W. Lampl ⁷, E. Lançon ²⁷, U. Landgraf ⁵¹, M.P.J. Landon ⁷⁹, M.C. Lanfermann ⁵², V.S. Lang ^{60a}, J.C. Lange ¹³, R.J. Langenberg ³², A.J. Lankford ¹⁶⁶, F. Lanni ²⁷, K. Lantzsch ²³, A. Lanza ^{123a}, A. Lapertosa ^{53a,53b}, S. Laplace ⁸³, J.F. Laporte ¹³⁸, T. Lari ^{94a}, F. Lasagni Manghi ^{22a,22b}, M. Lassnig ³², P. Laurelli ⁵⁰, W. Lavrijsen ¹⁶, A.T. Law ¹³⁹, P. Laycock ⁷⁷, T. Lazovich ⁵⁹, M. Lazzaroni ^{94a,94b}, B. Le ⁹¹, O. Le Dortz ⁸³, E. Le Guirieec ⁸⁸, E.P. Le Quilleuc ¹³⁸, M. LeBlanc ¹⁷², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁸, C.A. Lee ²⁷, G.R. Lee ^{133,af}, S.C. Lee ¹⁵³, L. Lee ⁵⁹, B. Lefebvre ⁹⁰, G. Lefebvre ⁸³, M. Lefebvre ¹⁷², F. Legger ¹⁰², C. Leggett ¹⁶, G. Lehmann Miotto ³², X. Lei ⁷, W.A. Leight ⁴⁵, M.A.L. Leite ^{26d}, R. Leitner ¹³¹, D. Lellouch ¹⁷⁵, B. Lemmer ⁵⁷, K.J.C. Leney ⁸¹, T. Lenz ²³, B. Lenzi ³², R. Leone ⁷, S. Leone ^{126a,126b}, C. Leonidopoulos ⁴⁹, G. Lerner ¹⁵¹, C. Leroy ⁹⁷, A.A.J. Lesage ¹³⁸, C.G. Lester ³⁰, M. Levchenko ¹²⁵, J. Levêque ⁵, D. Levin ⁹², L.J. Levinson ¹⁷⁵, M. Levy ¹⁹, D. Lewis ⁷⁹, B. Li ^{36a,ag}, Changqiao Li ^{36a}, H. Li ¹⁵⁰, L. Li ^{36c}, Q. Li ^{35a}, S. Li ⁴⁸, X. Li ^{36c}, Y. Li ¹⁴³, Z. Liang ^{35a}, B. Liberti ^{135a}, A. Liblong ¹⁶¹, K. Lie ^{62c}, J. Liebal ²³, W. Liebig ¹⁵, A. Limosani ¹⁵², S.C. Lin ¹⁸², T.H. Lin ⁸⁶, R.A. Linck ⁶⁴, B.E. Lindquist ¹⁵⁰, A.E. Lioni ⁵², E. Lipeles ¹²⁴, A. Lipniacka ¹⁵, M. Lisovyi ^{60b}, T.M. Liss ^{169,ah}, A. Lister ¹⁷¹, A.M. Litke ¹³⁹, B. Liu ^{153,ai}, H. Liu ⁹², H. Liu ²⁷, J.K.K. Liu ¹²², J. Liu ^{36b}, J.B. Liu ^{36a}, K. Liu ⁸⁸, L. Liu ¹⁶⁹, M. Liu ^{36a}, Y.L. Liu ^{36a}, Y. Liu ^{36a}, M. Livan ^{123a,123b}, A. Lleres ⁵⁸, J. Llorente Merino ^{35a}, S.L. Lloyd ⁷⁹, C.Y. Lo ^{62b}, F. Lo Sterzo ¹⁵³, E.M. Lobodzinska ⁴⁵, P. Loch ⁷, F.K. Loebinger ⁸⁷, A. Loesle ⁵¹, K.M. Loew ²⁵, A. Loginov ^{179,*}, T. Lohse ¹⁷, K. Lohwasser ¹⁴¹, M. Lokajicek ¹²⁹, B.A. Long ²⁴, J.D. Long ¹⁶⁹, R.E. Long ⁷⁵, L. Longo ^{76a,76b}, K.A.Looper ¹¹³, J.A. Lopez ^{34b}, D. Lopez Mateos ⁵⁹, I. Lopez Paz ¹³, A. Lopez Solis ⁸³, J. Lorenz ¹⁰², N. Lorenzo Martinez ⁵, M. Losada ²¹,

- P.J. Lösel ¹⁰², X. Lou ^{35a}, A. Lounis ¹¹⁹, J. Love ⁶, P.A. Love ⁷⁵, H. Lu ^{62a}, N. Lu ⁹², Y.J. Lu ⁶³, H.J. Lubatti ¹⁴⁰, C. Luci ^{134a,134b}, A. Lucotte ⁵⁸, C. Luedtke ⁵¹, F. Luehring ⁶⁴, W. Lukas ⁶⁵, L. Luminari ^{134a}, O. Lundberg ^{148a,148b}, B. Lund-Jensen ¹⁴⁹, M.S. Lutz ⁸⁹, P.M. Luzi ⁸³, D. Lynn ²⁷, R. Lysak ¹²⁹, E. Lytken ⁸⁴, F. Lyu ^{35a}, V. Lyubushkin ⁶⁸, H. Ma ²⁷, LL. Ma ^{36b}, Y. Ma ^{36b}, G. Maccarrone ⁵⁰, A. Macchiolo ¹⁰³, C.M. Macdonald ¹⁴¹, B. Maček ⁷⁸, J. Machado Miguens ^{124,128b}, D. Madaffari ¹⁷⁰, R. Madar ³⁷, W.F. Mader ⁴⁷, A. Madsen ⁴⁵, J. Maeda ⁷⁰, S. Maeland ¹⁵, T. Maeno ²⁷, A.S. Maevskiy ¹⁰¹, V. Magerl ⁵¹, J. Mahlstedt ¹⁰⁹, C. Maiani ¹¹⁹, C. Maidantchik ^{26a}, A.A. Maier ¹⁰³, T. Maier ¹⁰², A. Maio ^{128a,128b,128d}, O. Majersky ^{146a}, S. Majewski ¹¹⁸, Y. Makida ⁶⁹, N. Makovec ¹¹⁹, B. Malaescu ⁸³, Pa. Malecki ⁴², V.P. Maleev ¹²⁵, F. Malek ⁵⁸, U. Mallik ⁶⁶, D. Malon ⁶, C. Malone ³⁰, S. Maltezos ¹⁰, S. Malyukov ³², J. Mamuzic ¹⁷⁰, G. Mancini ⁵⁰, I. Mandić ⁷⁸, J. Maneira ^{128a,128b}, L. Manhaes de Andrade Filho ^{26b}, J. Manjarres Ramos ⁴⁷, K.H. Mankinen ⁸⁴, A. Mann ¹⁰², A. Manousos ³², B. Mansoulie ¹³⁸, J.D. Mansour ^{35a}, R. Mantifel ⁹⁰, M. Mantoani ⁵⁷, S. Manzoni ^{94a,94b}, L. Mapelli ³², G. Marceca ²⁹, L. March ⁵², L. Marchese ¹²², G. Marchiori ⁸³, M. Marcisovsky ¹²⁹, M. Marjanovic ³⁷, D.E. Marley ⁹², F. Marroquim ^{26a}, S.P. Marsden ⁸⁷, Z. Marshall ¹⁶, M.U.F. Martensson ¹⁶⁸, S. Marti-Garcia ¹⁷⁰, C.B. Martin ¹¹³, T.A. Martin ¹⁷³, V.J. Martin ⁴⁹, B. Martin dit Latour ¹⁵, M. Martinez ^{13,v}, V.I. Martinez Outschoorn ¹⁶⁹, S. Martin-Haugh ¹³³, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁸¹, A. Marzin ³², L. Masetti ⁸⁶, T. Mashimo ¹⁵⁷, R. Mashinistov ⁹⁸, J. Masik ⁸⁷, A.L. Maslennikov ^{111,c}, L. Massa ^{135a,135b}, P. Mastrandrea ⁵, A. Mastroberardino ^{40a,40b}, T. Masubuchi ¹⁵⁷, P. Mättig ¹⁷⁸, J. Maurer ^{28b}, S.J. Maxfield ⁷⁷, D.A. Maximov ^{111,c}, R. Mazini ¹⁵³, I. Maznas ¹⁵⁶, S.M. Mazza ^{94a,94b}, N.C. Mc Fadden ¹⁰⁷, G. Mc Goldrick ¹⁶¹, S.P. Mc Kee ⁹², A. McCarn ⁹², R.L. McCarthy ¹⁵⁰, T.G. McCarthy ¹⁰³, L.I. McClymont ⁸¹, E.F. McDonald ⁹¹, J.A. McFayden ⁸¹, G. Mchedlidze ⁵⁷, S.J. McMahon ¹³³, P.C. McNamara ⁹¹, R.A. McPherson ^{172,o}, S. Meehan ¹⁴⁰, T.J. Megy ⁵¹, S. Mehlhase ¹⁰², A. Mehta ⁷⁷, T. Meideck ⁵⁸, K. Meier ^{60a}, B. Meirose ⁴⁴, D. Melini ^{170,aj}, B.R. Mellado Garcia ^{147c}, J.D. Mellenthin ⁵⁷, M. Melo ^{146a}, F. Meloni ¹⁸, A. Melzer ²³, S.B. Menary ⁸⁷, L. Meng ⁷⁷, X.T. Meng ⁹², A. Mengarelli ^{22a,22b}, S. Menke ¹⁰³, E. Meoni ^{40a,40b}, S. Mergelmeyer ¹⁷, P. Mermod ⁵², L. Merola ^{106a,106b}, C. Meroni ^{94a}, F.S. Merritt ³³, A. Messina ^{134a,134b}, J. Metcalfe ⁶, A.S. Mete ¹⁶⁶, C. Meyer ¹²⁴, J-P. Meyer ¹³⁸, J. Meyer ¹⁰⁹, H. Meyer Zu Theenhausen ^{60a}, F. Miano ¹⁵¹, R.P. Middleton ¹³³, S. Miglioranzi ^{53a,53b}, L. Mijović ⁴⁹, G. Mikenberg ¹⁷⁵, M. Mikestikova ¹²⁹, M. Mikuž ⁷⁸, M. Milesi ⁹¹, A. Milic ¹⁶¹, D.W. Miller ³³, C. Mills ⁴⁹, A. Milov ¹⁷⁵, D.A. Milstead ^{148a,148b}, A.A. Minaenko ¹³², Y. Minami ¹⁵⁷, I.A. Minashvili ⁶⁸, A.I. Mincer ¹¹², B. Mindur ^{41a}, M. Mineev ⁶⁸, Y. Minegishi ¹⁵⁷, Y. Ming ¹⁷⁶, L.M. Mir ¹³, K.P. Mistry ¹²⁴, T. Mitani ¹⁷⁴, J. Mitrevski ¹⁰², V.A. Mitsou ¹⁷⁰, A. Miucci ¹⁸, P.S. Miyagawa ¹⁴¹, A. Mizukami ⁶⁹, J.U. Mjörnmark ⁸⁴, T. Mkrtchyan ¹⁸⁰, M. Mlynarikova ¹³¹, T. Moa ^{148a,148b}, K. Mochizuki ⁹⁷, P. Mogg ⁵¹, S. Mohapatra ³⁸, S. Molander ^{148a,148b}, R. Moles-Valls ²³, R. Monden ⁷¹, M.C. Mondragon ⁹³, K. Mönig ⁴⁵, J. Monk ³⁹, E. Monnier ⁸⁸, A. Montalbano ¹⁵⁰, J. Montejo Berlingen ³², F. Monticelli ⁷⁴, S. Monzani ^{94a,94b}, R.W. Moore ³, N. Morange ¹¹⁹, D. Moreno ²¹, M. Moreno Llácer ³², P. Morettini ^{53a}, S. Morgenstern ³², D. Mori ¹⁴⁴, T. Mori ¹⁵⁷, M. Morii ⁵⁹, M. Morinaga ¹⁵⁷, V. Morisbak ¹²¹, A.K. Morley ³², G. Mornacchi ³², J.D. Morris ⁷⁹, L. Morvaj ¹⁵⁰, P. Moschovakos ¹⁰, M. Mosidze ^{54b}, H.J. Moss ¹⁴¹, J. Moss ^{145,ak}, K. Motohashi ¹⁵⁹, R. Mount ¹⁴⁵, E. Mountricha ²⁷, E.J.W. Moyse ⁸⁹, S. Muanza ⁸⁸, F. Mueller ¹⁰³, J. Mueller ¹²⁷, R.S.P. Mueller ¹⁰², D. Muenstermann ⁷⁵, P. Mullen ⁵⁶, G.A. Mullier ¹⁸, F.J. Munoz Sanchez ⁸⁷, W.J. Murray ^{173,133}, H. Musheghyan ³², M. Muškinja ⁷⁸, A.G. Myagkov ^{132,al}, M. Myska ¹³⁰, B.P. Nachman ¹⁶, O. Nackenhorst ⁵², K. Nagai ¹²², R. Nagai ^{69,ad}, K. Nagano ⁶⁹, Y. Nagasaka ⁶¹, K. Nagata ¹⁶⁴, M. Nagel ⁵¹, E. Nagy ⁸⁸, A.M. Nairz ³², Y. Nakahama ¹⁰⁵, K. Nakamura ⁶⁹, T. Nakamura ¹⁵⁷, I. Nakano ¹¹⁴, R.F. Naranjo Garcia ⁴⁵, R. Narayan ¹¹, D.I. Narrias Villar ^{60a}, I. Naryshkin ¹²⁵, T. Naumann ⁴⁵, G. Navarro ²¹, R. Nayyar ⁷, H.A. Neal ⁹², P.Yu. Nechaeva ⁹⁸, T.J. Neep ¹³⁸, A. Negri ^{123a,123b}, M. Negrini ^{22a}, S. Nektarijevic ¹⁰⁸, C. Nellist ¹¹⁹, A. Nelson ¹⁶⁶, M.E. Nelson ¹²², S. Nemecek ¹²⁹, P. Nemethy ¹¹², M. Nessi ^{32,am}, M.S. Neubauer ¹⁶⁹, M. Neumann ¹⁷⁸, P.R. Newman ¹⁹, T.Y. Ng ^{62c}, T. Nguyen Manh ⁹⁷, R.B. Nickerson ¹²², R. Nicolaïdou ¹³⁸, J. Nielsen ¹³⁹, V. Nikolaenko ^{132,al}, I. Nikolic-Audit ⁸³, K. Nikolopoulos ¹⁹, J.K. Nilsen ¹²¹, P. Nilsson ²⁷, Y. Ninomiya ¹⁵⁷, A. Nisati ^{134a}, N. Nishu ^{35c}, R. Nisius ¹⁰³, I. Nitsche ⁴⁶, T. Nitta ¹⁷⁴, T. Nobe ¹⁵⁷, Y. Noguchi ⁷¹, M. Nomachi ¹²⁰, I. Nomidis ³¹, M.A. Nomura ²⁷, T. Nooney ⁷⁹, M. Nordberg ³², N. Norjoharuddeen ¹²², O. Novgorodova ⁴⁷, S. Nowak ¹⁰³, M. Nozaki ⁶⁹, L. Nozka ¹¹⁷, K. Ntekas ¹⁶⁶, E. Nurse ⁸¹, F. Nuti ⁹¹, K. O’Connor ²⁵, D.C. O’Neil ¹⁴⁴, A.A. O’Rourke ⁴⁵, V. O’Shea ⁵⁶, F.G. Oakham ^{31,d}, H. Oberlack ¹⁰³, T. Obermann ²³, J. Ocariz ⁸³, A. Ochi ⁷⁰, I. Ochoa ³⁸, J.P. Ochoa-Ricoux ^{34a}, S. Oda ⁷³,

- S. Odaka 69, A. Oh 87, S.H. Oh 48, C.C. Ohm 16, H. Ohman 168, H. Oide 53a,53b, H. Okawa 164, Y. Okumura 157, T. Okuyama 69, A. Olariu 28b, L.F. Oleiro Seabra 128a, S.A. Olivares Pino 49, D. Oliveira Damazio 27, A. Olszewski 42, J. Olszowska 42, A. Onofre 128a,128e, K. Onogi 105, P.U.E. Onyisi 11,z, H. Oppen 121, M.J. Oreglia 33, Y. Oren 155, D. Orestano 136a,136b, N. Orlando 62b, R.S. Orr 161, B. Osculati 53a,53b,* R. Ospanov 36a, G. Otero y Garzon 29, H. Otono 73, M. Ouchrif 137d, F. Ould-Saada 121, A. Ouraou 138, K.P. Oussoren 109, Q. Ouyang 35a, M. Owen 56, R.E. Owen 19, V.E. Ozcan 20a, N. Ozturk 8, K. Pachal 144, A. Pacheco Pages 13, L. Pacheco Rodriguez 138, C. Padilla Aranda 13, S. Pagan Griso 16, M. Paganini 179, F. Paige 27, G. Palacino 64, S. Palazzo 40a,40b, S. Palestini 32, M. Palka 41b, D. Pallin 37, E. St. Panagiotopoulou 10, I. Panagoulias 10, C.E. Pandini 83, J.G. Panduro Vazquez 80, P. Pani 32, S. Panitkin 27, D. Pantea 28b, L. Paolozzi 52, Th.D. Papadopoulou 10, K. Papageorgiou 9,s, A. Paramonov 6, D. Paredes Hernandez 179, A.J. Parker 75, M.A. Parker 30, K.A. Parker 45, F. Parodi 53a,53b, J.A. Parsons 38, U. Parzefall 51, V.R. Pascuzzi 161, J.M. Pasner 139, E. Pasqualucci 134a, S. Passaggio 53a, Fr. Pastore 80, S. Pataraia 86, J.R. Pater 87, T. Pauly 32, B. Pearson 103, S. Pedraza Lopez 170, R. Pedro 128a,128b, S.V. Peleganchuk 111,c, O. Penc 129, C. Peng 35a, H. Peng 36a, J. Penwell 64, B.S. Peralva 26b, M.M. Perego 138, D.V. Perepelitsa 27, F. Peri 17, L. Perini 94a,94b, H. Pernegger 32, S. Perrella 106a,106b, R. Peschke 45, V.D. Peshekhonov 68,* K. Peters 45, R.F.Y. Peters 87, B.A. Petersen 32, T.C. Petersen 39, E. Petit 58, A. Petridis 1, C. Petridou 156, P. Petroff 119, E. Petrolo 134a, M. Petrov 122, F. Petrucci 136a,136b, N.E. Pettersson 89, A. Peyaud 138, R. Pezoa 34b, F.H. Phillips 93, P.W. Phillips 133, G. Piacquadio 150, E. Pianori 173, A. Picazio 89, E. Piccaro 79, M.A. Pickering 122, R. Piegaia 29, J.E. Pilcher 33, A.D. Pilkington 87, A.W.J. Pin 87, M. Pinamonti 135a,135b, J.L. Pinfold 3, H. Pirumov 45, M. Pitt 175, L. Plazak 146a, M.-A. Pleier 27, V. Pleskov 86, E. Plotnikova 68, D. Pluth 67, P. Podberезко 111, R. Poettgen 148a,148b, R. Poggi 123a,123b, L. Poggioli 119, D. Pohl 23, G. Polesello 123a, A. Poley 45, A. Policicchio 40a,40b, R. Polifka 32, A. Polini 22a, C.S. Pollard 56, V. Polychronakos 27, K. Pommès 32, D. Ponomarenko 100, L. Pontecorvo 134a, G.A. Popeneciu 28d, A. Poppleton 32, S. Pospisil 130, K. Potamianos 16, I.N. Potrap 68, C.J. Potter 30, G. Poulard 32, T. Poulsen 84, J. Poveda 32, M.E. Pozo Astigarraga 32, P. Pralavorio 88, A. Pranko 16, S. Prell 67, D. Price 87, M. Primavera 76a, S. Prince 90, N. Proklova 100, K. Prokofiev 62c, F. Prokoshin 34b, S. Protopopescu 27, J. Proudfoot 6, M. Przybycien 41a, A. Puri 169, P. Puzo 119, J. Qian 92, G. Qin 56, Y. Qin 87, A. Quadt 57, M. Queitsch-Maitland 45, D. Quilty 56, S. Raddum 121, V. Radeka 27, V. Radescu 122, S.K. Radhakrishnan 150, P. Radloff 118, P. Rados 91, F. Ragusa 94a,94b, G. Rahal 181, J.A. Raine 87, S. Rajagopalan 27, C. Rangel-Smith 168, T. Rashid 119, S. Raspopov 5, M.G. Ratti 94a,94b, D.M. Rauch 45, F. Rauscher 102, S. Rave 86, I. Ravinovich 175, J.H. Rawling 87, M. Raymond 32, A.L. Read 121, N.P. Readioff 58, M. Reale 76a,76b, D.M. Rebuzzi 123a,123b, A. Redelbach 177, G. Redlinger 27, R. Reece 139, R.G. Reed 147c, K. Reeves 44, L. Rehnisch 17, J. Reichert 124, A. Reiss 86, C. Rembser 32, H. Ren 35a, M. Rescigno 134a, S. Resconi 94a, E.D. Ressegue 124, S. Rettie 171, E. Reynolds 19, O.L. Rezanova 111,c, P. Reznicek 131, R. Rezvani 97, R. Richter 103, S. Richter 81, E. Richter-Was 41b, O. Ricken 23, M. Ridel 83, P. Rieck 103, C.J. Riegel 178, J. Rieger 57, O. Rifki 115, M. Rijssenbeek 150, A. Rimoldi 123a,123b, M. Rimoldi 18, L. Rinaldi 22a, G. Ripellino 149, B. Ristić 32, E. Ritsch 32, I. Riu 13, F. Rizatdinova 116, E. Rizvi 79, C. Rizzi 13, R.T. Roberts 87, S.H. Robertson 90,0, A. Robichaud-Veronneau 90, D. Robinson 30, J.E.M. Robinson 45, A. Robson 56, E. Rocco 86, C. Roda 126a,126b, Y. Rodina 88,an, S. Rodriguez Bosca 170, A. Rodriguez Perez 13, D. Rodriguez Rodriguez 170, S. Roe 32, C.S. Rogan 59, O. Røhne 121, J. Roloff 59, A. Romanikou 100, M. Romano 22a,22b, S.M. Romano Saez 37, E. Romero Adam 170, N. Rompotis 77, M. Ronzani 51, L. Roos 83, S. Rosati 134a, K. Rosbach 51, P. Rose 139, N.-A. Rosien 57, E. Rossi 106a,106b, L.P. Rossi 53a, J.H.N. Rosten 30, R. Rosten 140, M. Rotaru 28b, J. Rothberg 140, D. Rousseau 119, A. Rozanov 88, Y. Rozen 154, X. Ruan 147c, F. Rubbo 145, F. Rühr 51, A. Ruiz-Martinez 31, Z. Rurikova 51, N.A. Rusakovich 68, H.L. Russell 90, J.P. Rutherford 7, N. Ruthmann 32, Y.F. Ryabov 125, M. Rybar 169, G. Rybkin 119, S. Ryu 6, A. Ryzhov 132, G.F. Rzechorz 57, A.F. Saavedra 152, G. Sabato 109, S. Sacerdoti 29, H.F.-W. Sadrozinski 139, R. Sadykov 68, F. Safai Tehrani 134a, P. Saha 110, M. Sahinsoy 60a, M. Saimpert 45, M. Saito 157, T. Saito 157, H. Sakamoto 157, Y. Sakurai 174, G. Salamanna 136a,136b, J.E. Salazar Loyola 34b, D. Salek 109, P.H. Sales De Bruin 168, D. Salihagic 103, A. Salnikov 145, J. Salt 170, D. Salvatore 40a,40b, F. Salvatore 151, A. Salvucci 62a,62b,62c, A. Salzburger 32, D. Sammel 51, D. Sampsonidis 156, D. Sampsonidou 156, J. Sánchez 170, V. Sanchez Martinez 170, A. Sanchez Pineda 167a,167c, H. Sandaker 121, R.L. Sandbach 79, C.O. Sander 45, M. Sandhoff 178, C. Sandoval 21, D.P.C. Sankey 133, M. Sannino 53a,53b, Y. Sano 105, A. Sansoni 50,

- C. Santoni ³⁷, H. Santos ^{128a}, I. Santoyo Castillo ¹⁵¹, A. Sapronov ⁶⁸, J.G. Saraiva ^{128a,128d}, B. Sarrazin ²³, O. Sasaki ⁶⁹, K. Sato ¹⁶⁴, E. Sauvan ⁵, G. Savage ⁸⁰, P. Savard ^{161,d}, N. Savic ¹⁰³, C. Sawyer ¹³³, L. Sawyer ^{82,u}, J. Saxon ³³, C. Sbarra ^{22a}, A. Sbrizzi ^{22a,22b}, T. Scanlon ⁸¹, D.A. Scannicchio ¹⁶⁶, M. Scarcella ¹⁵², J. Schaarschmidt ¹⁴⁰, P. Schacht ¹⁰³, B.M. Schachtner ¹⁰², D. Schaefer ³², L. Schaefer ¹²⁴, R. Schaefer ⁴⁵, J. Schaeffer ⁸⁶, S. Schaepe ²³, S. Schaezel ^{60b}, U. Schäfer ⁸⁶, A.C. Schaffer ¹¹⁹, D. Schaile ¹⁰², R.D. Schamberger ¹⁵⁰, V.A. Schegelsky ¹²⁵, D. Scheirich ¹³¹, M. Schernau ¹⁶⁶, C. Schiavi ^{53a,53b}, S. Schier ¹³⁹, L.K. Schildgen ²³, C. Schillo ⁵¹, M. Schioppa ^{40a,40b}, S. Schlenker ³², K.R. Schmidt-Sommerfeld ¹⁰³, K. Schmieden ³², C. Schmitt ⁸⁶, S. Schmitz ⁴⁵, S. Schmitz ⁸⁶, U. Schnoor ⁵¹, L. Schoeffel ¹³⁸, A. Schoening ^{60b}, B.D. Schoenrock ⁹³, E. Schopf ²³, M. Schott ⁸⁶, J.F.P. Schouwenberg ¹⁰⁸, J. Schovancova ³², S. Schramm ⁵², N. Schuh ⁸⁶, A. Schulte ⁸⁶, M.J. Schultens ²³, H.-C. Schultz-Coulon ^{60a}, H. Schulz ¹⁷, M. Schumacher ⁵¹, B.A. Schumm ¹³⁹, Ph. Schune ¹³⁸, A. Schwartzman ¹⁴⁵, T.A. Schwarz ⁹², H. Schweiger ⁸⁷, Ph. Schwemling ¹³⁸, R. Schwienhorst ⁹³, J. Schwindling ¹³⁸, A. Sciandra ²³, G. Sciolla ²⁵, M. Scornajenghi ^{40a,40b}, F. Scuri ^{126a,126b}, F. Scutti ⁹¹, J. Searcy ⁹², P. Seema ²³, S.C. Seidel ¹⁰⁷, A. Seiden ¹³⁹, J.M. Seixas ^{26a}, G. Sekhniaidze ^{106a}, K. Sekhon ⁹², S.J. Sekula ⁴³, N. Semprini-Cesari ^{22a,22b}, S. Senkin ³⁷, C. Serfon ¹²¹, L. Serin ¹¹⁹, L. Serkin ^{167a,167b}, M. Sessa ^{136a,136b}, R. Seuster ¹⁷², H. Severini ¹¹⁵, T. Sfiligoj ⁷⁸, F. Sforza ³², A. Sfyrla ⁵², E. Shabalina ⁵⁷, N.W. Shaikh ^{148a,148b}, L.Y. Shan ^{35a}, R. Shang ¹⁶⁹, J.T. Shank ²⁴, M. Shapiro ¹⁶, P.B. Shatalov ⁹⁹, K. Shaw ^{167a,167b}, S.M. Shaw ⁸⁷, A. Shcherbakova ^{148a,148b}, C.Y. Shehu ¹⁵¹, Y. Shen ¹¹⁵, N. Sherafati ³¹, P. Sherwood ⁸¹, L. Shi ^{153,a0}, S. Shimizu ⁷⁰, C.O. Shimmin ¹⁷⁹, M. Shimojima ¹⁰⁴, I.P.J. Shipsey ¹²², S. Shirabe ⁷³, M. Shiyakova ^{68,ap}, J. Shlomi ¹⁷⁵, A. Shmeleva ⁹⁸, D. Shoaleh Saadi ⁹⁷, M.J. Shochet ³³, S. Shojaei ^{94a}, D.R. Shope ¹¹⁵, S. Shrestha ¹¹³, E. Shulga ¹⁰⁰, M.A. Shupe ⁷, P. Sicho ¹²⁹, A.M. Sickles ¹⁶⁹, P.E. Sidebo ¹⁴⁹, E. Sideras Haddad ^{147c}, O. Sidiropoulou ¹⁷⁷, A. Sidoti ^{22a,22b}, F. Siegert ⁴⁷, Dj. Sijacki ¹⁴, J. Silva ^{128a,128d}, S.B. Silverstein ^{148a}, V. Simak ¹³⁰, Lj. Simic ¹⁴, S. Simion ¹¹⁹, E. Simioni ⁸⁶, B. Simmons ⁸¹, M. Simon ⁸⁶, P. Sinervo ¹⁶¹, N.B. Sinev ¹¹⁸, M. Sioli ^{22a,22b}, G. Siragusa ¹⁷⁷, I. Siral ⁹², S.Yu. Sivoklokov ¹⁰¹, J. Sjölin ^{148a,148b}, M.B. Skinner ⁷⁵, P. Skubic ¹¹⁵, M. Slater ¹⁹, T. Slavicek ¹³⁰, M. Slawinska ⁴², K. Sliwa ¹⁶⁵, R. Slovak ¹³¹, V. Smakhtin ¹⁷⁵, B.H. Smart ⁵, J. Smiesko ^{146a}, N. Smirnov ¹⁰⁰, S.Yu. Smirnov ¹⁰⁰, Y. Smirnov ¹⁰⁰, L.N. Smirnova ^{101,ap}, O. Smirnova ⁸⁴, J.W. Smith ⁵⁷, M.N.K. Smith ³⁸, R.W. Smith ³⁸, M. Smizanska ⁷⁵, K. Smolek ¹³⁰, A.A. Snesarev ⁹⁸, I.M. Snyder ¹¹⁸, S. Snyder ²⁷, R. Sobie ^{172,o}, F. Socher ⁴⁷, A. Soffer ¹⁵⁵, A. Søgaard ⁴⁹, D.A. Soh ¹⁵³, G. Sokhrannyi ⁷⁸, C.A. Solans Sanchez ³², M. Solar ¹³⁰, E.Yu. Soldatov ¹⁰⁰, U. Soldevila ¹⁷⁰, A.A. Solodkov ¹³², A. Soloshenko ⁶⁸, O.V. Solovyanov ¹³², V. Solovyev ¹²⁵, P. Sommer ⁵¹, H. Son ¹⁶⁵, A. Sopczak ¹³⁰, D. Sosa ^{60b}, C.L. Sotiropoulou ^{126a,126b}, R. Soualah ^{167a,167c}, A.M. Soukharev ^{111,c}, D. South ⁴⁵, B.C. Sowden ⁸⁰, S. Spagnolo ^{76a,76b}, M. Spalla ^{126a,126b}, M. Spangenberg ¹⁷³, F. Spanò ⁸⁰, D. Sperlich ¹⁷, F. Spettel ¹⁰³, T.M. Spieker ^{60a}, R. Spighi ^{22a}, G. Spigo ³², L.A. Spiller ⁹¹, M. Spousta ¹³¹, R.D. St. Denis ^{56,*}, A. Stabile ^{94a}, R. Stamen ^{60a}, S. Stamm ¹⁷, E. Stanecka ⁴², R.W. Stanek ⁶, C. Stanescu ^{136a}, M.M. Stanitzki ⁴⁵, B.S. Stapf ¹⁰⁹, S. Stapnes ¹²¹, E.A. Starchenko ¹³², G.H. Stark ³³, J. Stark ⁵⁸, S.H. Stark ³⁹, P. Staroba ¹²⁹, P. Starovoitov ^{60a}, S. Stärz ³², R. Staszewski ⁴², P. Steinberg ²⁷, B. Stelzer ¹⁴⁴, H.J. Stelzer ³², O. Stelzer-Chilton ^{163a}, H. Stenzel ⁵⁵, G.A. Stewart ⁵⁶, M.C. Stockton ¹¹⁸, M. Stoebe ⁹⁰, G. Stoica ^{28b}, P. Stolte ⁵⁷, S. Stonjek ¹⁰³, A.R. Stradling ⁸, A. Straessner ⁴⁷, M.E. Stramaglia ¹⁸, J. Strandberg ¹⁴⁹, S. Strandberg ^{148a,148b}, M. Strauss ¹¹⁵, P. Strizenec ^{146b}, R. Ströhmer ¹⁷⁷, D.M. Strom ¹¹⁸, R. Stroynowski ⁴³, A. Strubig ⁴⁹, S.A. Stucci ²⁷, B. Stugu ¹⁵, N.A. Styles ⁴⁵, D. Su ¹⁴⁵, J. Su ¹²⁷, S. Suchek ^{60a}, Y. Sugaya ¹²⁰, M. Suk ¹³⁰, V.V. Sulin ⁹⁸, D.M.S. Sultan ^{162a,162b}, S. Sultansoy ^{4c}, T. Sumida ⁷¹, S. Sun ⁵⁹, X. Sun ³, K. Suruliz ¹⁵¹, C.J.E. Suster ¹⁵², M.R. Sutton ¹⁵¹, S. Suzuki ⁶⁹, M. Svatos ¹²⁹, M. Swiatlowski ³³, S.P. Swift ², I. Sykora ^{146a}, T. Sykora ¹³¹, D. Ta ⁵¹, K. Tackmann ⁴⁵, J. Taenzer ¹⁵⁵, A. Taffard ¹⁶⁶, R. Tafirout ^{163a}, N. Taiblum ¹⁵⁵, H. Takai ²⁷, R. Takashima ⁷², E.H. Takasugi ¹⁰³, T. Takeshita ¹⁴², Y. Takubo ⁶⁹, M. Talby ⁸⁸, A.A. Talyshев ^{111,c}, J. Tanaka ¹⁵⁷, M. Tanaka ¹⁵⁹, R. Tanaka ¹¹⁹, S. Tanaka ⁶⁹, R. Tanioka ⁷⁰, B.B. Tannenwald ¹¹³, S. Tapia Araya ^{34b}, S. Tapprogge ⁸⁶, S. Tarem ¹⁵⁴, G.F. Tartarelli ^{94a}, P. Tas ¹³¹, M. Tasevsky ¹²⁹, T. Tashiro ⁷¹, E. Tassi ^{40a,40b}, A. Tavares Delgado ^{128a,128b}, Y. Tayalati ^{137e}, A.C. Taylor ¹⁰⁷, G.N. Taylor ⁹¹, P.T.E. Taylor ⁹¹, W. Taylor ^{163b}, P. Teixeira-Dias ⁸⁰, D. Temple ¹⁴⁴, H. Ten Kate ³², P.K. Teng ¹⁵³, J.J. Teoh ¹²⁰, F. Tepel ¹⁷⁸, S. Terada ⁶⁹, K. Terashi ¹⁵⁷, J. Terron ⁸⁵, S. Terzo ¹³, M. Testa ⁵⁰, R.J. Teuscher ^{161,o}, T. Theveneaux-Pelzer ⁸⁸, F. Thiele ³⁹, J.P. Thomas ¹⁹, J. Thomas-Wilske ⁸⁰, P.D. Thompson ¹⁹, A.S. Thompson ⁵⁶, L.A. Thomsen ¹⁷⁹, E. Thomson ¹²⁴, M.J. Tibbetts ¹⁶, R.E. Ticse Torres ⁸⁸, V.O. Tikhomirov ^{98,ar}, Yu.A. Tikhonov ^{111,c}, S. Timoshenko ¹⁰⁰, P. Tipton ¹⁷⁹,

- S. Tisserant 88, K. Todome 159, S. Todorova-Nova 5, S. Todt 47, J. Tojo 73, S. Tokár 146a, K. Tokushuku 69, E. Tolley 59, L. Tomlinson 87, M. Tomoto 105, L. Tompkins 145,as, K. Toms 107, B. Tong 59, P. Tornambe 51, E. Torrence 118, H. Torres 144, E. Torró Pastor 140, J. Toth 88,at, F. Touchard 88, D.R. Tovey 141, C.J. Treado 112, T. Trefzger 177, F. Tresoldi 151, A. Tricoli 27, I.M. Trigger 163a, S. Trincaz-Duvold 83, M.F. Tripiana 13, W. Trischuk 161, B. Trocmé 58, A. Trofymov 45, C. Troncon 94a, M. Trottier-McDonald 16, M. Trovatelli 172, L. Truong 147b, M. Trzebinski 42, A. Trzupek 42, K.W. Tsang 62a, J.C.-L. Tseng 122, P.V. Tsiareshka 95, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 51, E.G. Tskhadadze 54a, K.M. Tsui 62a, II. Tsukerman 99, V. Tsulaia 16, S. Tsuno 69, D. Tsybychev 150, Y. Tu 62b, A. Tudorache 28b, V. Tudorache 28b, T.T. Tulbure 28a, A.N. Tuna 59, S.A. Tupputi 22a,22b, S. Turchikhin 68, D. Turgeman 175, I. Turk Cakir 4b,au, R. Turra 94a, P.M. Tuts 38, G. Ucchielli 22a,22b, I. Ueda 69, M. Ughetto 148a,148b, F. Ukegawa 164, G. Unal 32, A. Undrus 27, G. Unel 166, F.C. Ungaro 91, Y. Unno 69, C. Unverdorben 102, J. Urban 146b, P. Urquijo 91, P. Urrejola 86, G. Usai 8, J. Usui 69, L. Vacavant 88, V. Vacek 130, B. Vachon 90, K.O.H. Vadla 121, A. Vaidya 81, C. Valderanis 102, E. Valdes Santurio 148a,148b, S. Valentini 22a,22b, A. Valero 170, L. Valéry 13, S. Valkar 131, A. Vallier 5, J.A. Valls Ferrer 170, W. Van Den Wollenberg 109, H. van der Graaf 109, P. van Gemmeren 6, J. Van Nieuwkoop 144, I. van Vulpen 109, M.C. van Woerden 109, M. Vanadia 135a,135b, W. Vandelli 32, A. Vaniachine 160, P. Vankov 109, G. Vardanyan 180, R. Vari 134a, E.W. Varnes 7, C. Varni 53a,53b, T. Varol 43, D. Varouchas 119, A. Vartapetian 8, K.E. Varvell 152, J.G. Vasquez 179, G.A. Vasquez 34b, F. Vazeille 37, T. Vazquez Schroeder 90, J. Veatch 57, V. Veeraraghavan 7, L.M. Veloce 161, F. Veloso 128a,128c, S. Veneziano 134a, A. Ventura 76a,76b, M. Venturi 172, N. Venturi 32, A. Venturini 25, V. Vercesi 123a, M. Verducci 136a,136b, W. Verkerke 109, A.T. Vermeulen 109, J.C. Vermeulen 109, M.C. Vetterli 144,d, N. Viaux Maira 34b, O. Viazlo 84, I. Vichou 169,* T. Vickey 141, O.E. Vickey Boeriu 141, G.H.A. Viehhauser 122, S. Viel 16, L. Vigani 122, M. Villa 22a,22b, M. Villaplana Perez 94a,94b, E. Vilucchi 50, M.G. Vincter 31, V.B. Vinogradov 68, A. Vishwakarma 45, C. Vittori 22a,22b, I. Vivarelli 151, S. Vlachos 10, M. Vogel 178, P. Vokac 130, G. Volpi 126a,126b, H. von der Schmitt 103, E. von Toerne 23, V. Vorobel 131, K. Vorobev 100, M. Vos 170, R. Voss 32, J.H. Vossebeld 77, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 130, M. Vreeswijk 109, R. Vuillermet 32, I. Vukotic 33, P. Wagner 23, W. Wagner 178, J. Wagner-Kuhr 102, H. Wahlberg 74, S. Wahrmund 47, J. Wakabayashi 105, J. Walder 75, R. Walker 102, W. Walkowiak 143, V. Wallangen 148a,148b, C. Wang 35b, C. Wang 36b,av, F. Wang 176, H. Wang 16, H. Wang 3, J. Wang 45, J. Wang 152, Q. Wang 115, R. Wang 6, S.M. Wang 153, T. Wang 38, W. Wang 153,aw, W. Wang 36a, Z. Wang 36c, C. Wanotayaroj 118, A. Warburton 90, C.P. Ward 30, D.R. Wardrobe 81, A. Washbrook 49, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19, G. Watts 140, S. Watts 87, B.M. Waugh 81, A.F. Webb 11, S. Webb 86, M.S. Weber 18, S.W. Weber 177, S.A. Weber 31, J.S. Webster 6, A.R. Weidberg 122, B. Weinert 64, J. Weingarten 57, M. Weirich 86, C. Weiser 51, H. Weits 109, P.S. Wells 32, T. Wenaus 27, T. Wengler 32, S. Wenig 32, N. Wermes 23, M.D. Werner 67, P. Werner 32, M. Wessels 60a, K. Whalen 118, N.L. Whallon 140, A.M. Wharton 75, A.S. White 92, A. White 8, M.J. White 1, R. White 34b, D. Whiteson 166, B.W. Whitmore 75, F.J. Wickens 133, W. Wiedenmann 176, M. Wielers 133, C. Wiglesworth 39, L.A.M. Wiik-Fuchs 51, A. Wildauer 103, F. Wilk 87, H.G. Wilkens 32, H.H. Williams 124, S. Williams 109, C. Willis 93, S. Willocq 89, J.A. Wilson 19, I. Wingerter-Seez 5, E. Winkels 151, F. Winklmeier 118, O.J. Winston 151, B.T. Winter 23, M. Wittgen 145, M. Wobisch 82,u, T.M.H. Wolf 109, R. Wolff 88, M.W. Wolter 42, H. Wolters 128a,128c, V.W.S. Wong 171, S.D. Worm 19, B.K. Wosiek 42, J. Wotschack 32, K.W. Wozniak 42, M. Wu 33, S.L. Wu 176, X. Wu 52, Y. Wu 92, T.R. Wyatt 87, B.M. Wynne 49, S. Xella 39, Z. Xi 92, L. Xia 35c, D. Xu 35a, L. Xu 27, T. Xu 138, B. Yabsley 152, S. Yacoob 147a, D. Yamaguchi 159, Y. Yamaguchi 120, A. Yamamoto 69, S. Yamamoto 157, T. Yamanaka 157, M. Yamatani 157, K. Yamauchi 105, Y. Yamazaki 70, Z. Yan 24, H. Yang 36c, H. Yang 16, Y. Yang 153, Z. Yang 15, W.-M. Yao 16, Y.C. Yap 83, Y. Yasu 69, E. Yatsenko 5, K.H. Yau Wong 23, J. Ye 43, S. Ye 27, I. Yeletskikh 68, E. Yigitbasi 24, E. Yildirim 86, K. Yorita 174, K. Yoshihara 124, C. Young 145, C.J.S. Young 32, J. Yu 8, J. Yu 67, S.P.Y. Yuen 23, I. Yusuff 30,ax, B. Zabinski 42, G. Zacharis 10, R. Zaidan 13, A.M. Zaitsev 132,al, N. Zakharchuk 45, J. Zalieckas 15, A. Zaman 150, S. Zambito 59, D. Zanzi 91, C. Zeitnitz 178, G. Zemaityte 122, A. Zemla 41a, J.C. Zeng 169, Q. Zeng 145, O. Zenin 132, T. Ženiš 146a, D. Zerwas 119, D. Zhang 92, F. Zhang 176, G. Zhang 36a,ay, H. Zhang 35b, J. Zhang 6, L. Zhang 51, L. Zhang 36a, M. Zhang 169, P. Zhang 35b, R. Zhang 23, R. Zhang 36a,av, X. Zhang 36b, Y. Zhang 35a, Z. Zhang 119, X. Zhao 43, Y. Zhao 36b,az, Z. Zhao 36a, A. Zhemchugov 68, B. Zhou 92, C. Zhou 176, L. Zhou 43, M. Zhou 35a, M. Zhou 150, N. Zhou 35c, C.G. Zhu 36b, H. Zhu 35a, J. Zhu 92, Y. Zhu 36a, X. Zhuang 35a, K. Zhukov 98, A. Zibell 177, D. Ziemińska 64,

N.I. Zimine⁶⁸, C. Zimmermann⁸⁶, S. Zimmermann⁵¹, Z. Zinonos¹⁰³, M. Zinser⁸⁶, M. Ziolkowski¹⁴³, L. Živković¹⁴, G. Zobernig¹⁷⁶, A. Zoccoli^{22a,22b}, R. Zou³³, M. zur Nedden¹⁷, L. Zwalski³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States

⁷ Department of Physics, University of Arizona, Tucson AZ, United States

⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States

⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States

¹⁷ Department of Physics, Humboldt University, Berlin, Germany

¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey

²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²³ Physikalisches Institut, University of Bonn, Bonn, Germany

²⁴ Department of Physics, Boston University, Boston MA, United States

²⁵ Department of Physics, Brandeis University, Waltham MA, United States

²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States

²⁸ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania

²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

³¹ Department of Physics, Carleton University, Ottawa ON, Canada

³² CERN, Geneva, Switzerland

³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States

³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Physics, Nanjing University, Jiangsu; ^(c) Physics Department, Tsinghua University, Beijing 100084, China

³⁶ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui, China; ^(b) School of Physics, Shandong University, Shandong, China; ^(c) Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai, China ^{ba}

³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States

³⁹ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

⁴⁰ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

⁴¹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

⁴³ Physics Department, Southern Methodist University, Dallas TX, United States

⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States

⁴⁵ DESY, Hamburg and Zeuthen, Germany

⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁸ Department of Physics, Duke University, Durham NC, United States

⁴⁹ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy

⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland

⁵³ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵⁴ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵⁵ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵⁶ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁷ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁸ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States

⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China; ^(b) Department of Physics, The University of Hong Kong, Hong Kong, China;

^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

⁶³ Department of Physics, National Tsing Hua University, Taiwan, Taiwan

⁶⁴ Department of Physics, Indiana University, Bloomington IN, United States

⁶⁵ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

- ⁶⁶ University of Iowa, Iowa City IA, United States
⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan
⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan
⁷² Kyoto University of Education, Kyoto, Japan
⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁴ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁶ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁸ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸² Louisiana Tech University, Ruston LA, United States
⁸³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁵ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁶ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁸ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁹ Department of Physics, University of Massachusetts, Amherst MA, United States
⁹⁰ Department of Physics, McGill University, Montreal QC, Canada
⁹¹ School of Physics, University of Melbourne, Victoria, Australia
⁹² Department of Physics, The University of Michigan, Ann Arbor MI, United States
⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
⁹⁴ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
⁹⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁶ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States
¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹² Department of Physics, New York University, New York NY, United States
¹¹³ Ohio State University, Columbus OH, United States
¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States
¹¹⁷ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States
¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
¹²¹ Department of Physics, University of Oslo, Oslo, Norway
¹²² Department of Physics, Oxford University, Oxford, United Kingdom
¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States
¹²⁵ National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
¹²⁸ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada; ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹³⁰ Czech Technical University in Prague, Praha, Czech Republic
¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁷ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
¹³⁸ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
¹³⁹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
¹⁴⁰ Department of Physics, University of Washington, Seattle WA, United States

- 141 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 142 Department of Physics, Shinshu University, Nagano, Japan
 143 Department Physik, Universität Siegen, Siegen, Germany
 144 Department of Physics, Simon Fraser University, Burnaby BC, Canada
 145 SLAC National Accelerator Laboratory, Stanford CA, United States
 146 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 147 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 148 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
 149 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 150 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
 151 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 152 School of Physics, University of Sydney, Sydney, Australia
 153 Institute of Physics, Academia Sinica, Taipei, Taiwan
 154 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 155 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 156 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 157 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 158 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 159 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 160 Tomsk State University, Tomsk, Russia
 161 Department of Physics, University of Toronto, Toronto ON, Canada
 162 ^(a) INFN-TIFPA; ^(b) University of Trento, Trento, Italy
 163 ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
 164 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
 165 Department of Physics and Astronomy, Tufts University, Medford MA, United States
 166 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
 167 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 168 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 169 Department of Physics, University of Illinois, Urbana IL, United States
 170 Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Spain
 171 Department of Physics, University of British Columbia, Vancouver BC, Canada
 172 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
 173 Department of Physics, University of Warwick, Coventry, United Kingdom
 174 Waseda University, Tokyo, Japan
 175 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 176 Department of Physics, University of Wisconsin, Madison WI, United States
 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 178 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 179 Department of Physics, Yale University, New Haven CT, United States
 180 Yerevan Physics Institute, Yerevan, Armenia
 181 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
 182 Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at TRIUMF, Vancouver BC, Canada.

^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.

^f Also at Physics Department, An-Najah National University, Nablus, Palestine.

^g Also at Department of Physics, California State University, Fresno CA, United States of America.

^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

ⁱ Also at II Physikalischs Institut, Georg-August-Universität, Göttingen, Germany.

^j Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona, Spain.

^k Also at Departamento de Fisica e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

^l Also at Tomsk State University, Tomsk, Russia.

^m Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

ⁿ Also at Universita di Napoli Parthenope, Napoli, Italy.

^o Also at Institute of Particle Physics (IPP), Canada.

^p Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America.

^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

^u Also at Louisiana Tech University, Ruston LA, United States of America.

^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^w Also at Graduate School of Science, Osaka University, Osaka, Japan.

^x Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.

^y Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.

^z Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.

^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

^{ab} Also at CERN, Geneva, Switzerland.

^{ac} Also at Georgian Technical University (GTU), Tbilisi, Georgia.

^{ad} Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.

^{ae} Also at Manhattan College, New York NY, United States of America.

^{af} Also at Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile.

- ^{ag} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.
^{ah} Also at The City College of New York, New York NY, United States of America.
^{ai} Also at School of Physics, Shandong University, Shandong, China.
^{aj} Also at Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Portugal.
^{ak} Also at Department of Physics, California State University, Sacramento CA, United States of America.
^{al} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{am} Also at Departement de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland.
^{an} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.
^{ao} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
^{ap} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{aq} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
^{ar} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{as} Also at Department of Physics, Stanford University, Stanford CA, United States of America.
^{at} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{au} Also at Giresun University, Faculty of Engineering, Turkey.
^{av} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{aw} Also at Department of Physics, Nanjing University, Jiangsu, China.
^{ax} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
^{ay} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{az} Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.
^{ba} Also at PKU-CHEP.
* Deceased.